



Mootummaa Naannoo Oromiyaatti Biiroo Fayyaa
በኦሮሚያ ክልላዊ መንግስት ጤና ቢሮ

Hayyama gahumsaa
የብቃት ማረጋገጫ ምስክር ወረቀት

ቁጥር/Lakkoofsa 2375
 ቀን/Guyyaa 2-3

Odeeffannoo Dhaabbatichaa

የተቋም መረጃ

Maqaa Dhaabbatichaa/ ስም	Lami Drug Store	Gosa Dhaabbatichaa የተቋም ዓይነት	Drug Store
Naannoo/ክልል	Oromia Region	Godina /ክፍለ አካል / ዞን	Horo Gudru Wellega Zone
Magaalaa / ከተማ	Harato	Aanaa/ወረዳ	Jimma Geneti
Ganda/ቀበሌ	01	Lakkoofsa Manaa/የቤት ቁጥር	New
Lakkoofsa Bilbilaa/የስልክ ቁጥር	+251-954284055		

Oddeeffannoo abbaa Qabeenyummaa/የባለቤትነት መረጃ

Abbaa Qabeenyummaa/ ባለቤትነት	Private	Maqaa abba Qabeenyummaa /የባለቤት መ.ሰ. ስም	Lami Mekonnen Tadessa
----------------------------------	---------	---	-----------------------

Odeeffannoo Ogeessa Teeknikaa/የቴክኒካዊ መሪ መረጃ

Lakkoofsa Galmeee Ogummaa/ የምዝገባ ቁጥር	JD=82423/2014 RPL=759	Maqaa / የቴክኒክ መሪ ስም	Lami Mekonnen Tadessa
Gosa Ogummaa			
ታ			
Wa:	aaawwachiisuuf kan hojjetu Labsii 661/2002 hundeeffama Abbaa Taayitaa Bulchiinsaa Nyaataa, Qorichaa fi kunuunsaa Fayyaa bu'urreeffachuun Dhaabbata kanaaf kennamee 661/2002 መሠረት ለጤና ተቋማት ይሰጣል፡፡		
ይ:	Mallattoo Abba taayitaa/የኃላፊ ፊርማ		

haarayomera/ታ.ድ.ሷል Tikemet-30-2017 E.C. 11/09/2024 G.C.	haarayomera/ታ.ድ.ሷል E.C. G.C.
Lakk Kaarniitii/የደረሰኝ ቁጥር: <u>0379661</u>	Lakk Kaarniitii/የደረሰኝ ቁጥር: _____
Mallattoo/ፊርማ	Mallattoo/ፊርማ

- Hubachiisa**
1. Hayyamichi barri bajataa galee hanga dhuma Qaammeetti yoo haaromfamuu baate akka haqametti laakaa'ama.
 2. Hayyamichi dhaabbaticha keessa fuuldura bakka mul'atuun qaba.
 3. qaama too'atu osoo beeksisin dhaabbaticha iddoo tokkoo iddoo biraatti jijjiiruun dhorkaadha
- ማስጠንቀቂያ**
1. ፍቃዱ የበጀት ዓመቱ ከገባ በኋላ እስከ ጳጉሜ መጨረሻ ካልታደሰ እንደተሰረዘ ይቆጠራል፡፡
 2. ፍቃዱ በድርጅቱ ውስጥ ፊትለፊት በሚታይ ቦታ መቀመጥ አለበት፡፡
 3. ለተቆጣጣሪ አካሉ ሳያሳውቁ ድርጅቱን ወደ ሌላ ቦታ ማዘዋወር አይቻልም፡፡



Guyyaa
Date
Lakk
Ref.no

ቀን 2-3-17
ቁጥር 23756

Waajjira Fayyaa Godina Horroo Guduruu Wallaggaatiif

Shaambuu

Dhimmi:- **Haayyama Dukkaana Qorichaa Lammii jedhamu haaraa kenname ilaala**

Akkuma mata duree irratti ibsuuf yaalametti **Lammii Mokonnin Taaddasaa** abbaa qabeenyaa fi ogeessa ta'uudhaan Godina keessan **Aanaa Jimmaa Gannatii magaalaa Haratoo Ganda 01** lakk. manaa haaraa keessatti **Haayyama Dukkaana Qorichaa Lammii jedhamu** bafatanii hojjechuu kan isaan dandeessisu Unka inspekshinii xalayyaa lakk:QFG/709/655 gaafa guyyaa 26/02/2017 tiin nu gaafatanii jirtu.

Haaluma kanaan Haayyamni gahumsa dukkaana Qorichaa kun Maqaa **Ogeessa Lammii Mokonnin Taaddasaa tiin** waan isaaniif kennameef, waajjirri keessanis kanuma beekuudhaan Ogeessii fi Dhabbatni dukkaanni Qorichaa kun Qajeelfamaa fi seeraa jiruun hojjechaa jiraachuu hubachuun to'annoo fi hordoffii gaggeessuun raawwii isaa ji'a sadi sadiin gabaassa akka nuuf gootan isin beeksifna.

Nagaa Wajjin

G/G

- Waajjira Daldaalaa fi Misooma Gabayaa Godina Horroo Guduruu Wallaggaatiif

Shaambuu

Shallam Shillam (Baq)
Qindeessaa Galmee
Ogummaa fi Haayyamaa

Biirroo Fayyaa Oromiyaatti

Qajeelcha Fayyaa Godina Horro
Guduruu Wallaggaa



በኦሮሞያ በኦሮሞያ ጠፍ ቢሮ የሆኑ ጉዳዮች ወለጋ ዞን ጠፍ መምሪያ

Oromia Health Bureau Horo Guduru
Walaga Zonal Health Office

Lakk/ ቁጥር

2461 709/655

Guyyaa /ዓ.አ

26/2/2017

Biirroo Fayyaa Oromiyaa tiif

Finfinnee

Dhimmi Isaa Inspeekshinii Dukkana Qorichaa Haaraa Ilaala

Akkuma mata duree irratti ibsamuuf yaalametti Obbo Lammii Mokonnnon Taaddasaa abbaa qabeenyaa fi ogeessa ta'uudhaan Godina Horroo Guduruu Wallaggaa Aanaa J/Gannatii magaalaa Haratoo ganda 01 Lakk manaa haaraa keessatti Dukkana Qorichaa Lammii jedhamu banatanii hojjechuu kan barbaadaniifi Inspeekshiniin akka taasifamuuf xalayaa Lakk .23,543 gaafa guyyaa 7-2-17 Karaa Biirroo Fayyaa Oromiyaa barrefameen nu beeksisuun keessan ni yaadatama

Haaluma kanaan nutis Korse riigulaatoorii Godina keenyaa waliin ta'uudhaan Cheek liisti Dukkana qorichaa haaraa istaandardii ta'e fayyadamuun inspeekshinii gaggessuun bu'aa isaa xalayaa gaggesituu kan waliin wal qabsiifnee kan ergine ta'uu keenya ibsaa dukkanni qorichaa kuni yoo banameef guma keenyaan mormii kan hin qabne ta'uu keenya kabajaan ibsina



Nagaa Wajjin !!


Alamaayyoo Waqqo Walee
Alemayehu Wako Wale
Alamaayyoo Waqqo Walee
Togaa Fayyaa / Zonal Waqabataanii
Qajeelcha Eegumsa Fayyaa
Godina Horroo Guduruu Wallaggaa
Togaa Fayyaa / Zonal Waqabataanii

Pre-licensing Inspection Checklist for Medicine Retail Outlet (Pharmacy & Drug Shop)


	Name of the Region/Zone/Woreda/Agency	FORM No.: 001		
Title:	Pre-licensing Inspection Checklist	SOP No.		
		Revision No:		
Instruction: This checklist is designed to assess the compliance rate of community pharmacies, focusing on premises, personnel, and products (equipment and materials). Complete all sections of the checklist (Yes, No, NA).				
5. General Information				
5.1. Level of community pharmacy a. Pharmacy (Yes, No) b. Drug shop (Yes, No) 5.2. Name of pharmacy/drug shop <u>Lemi</u> 5.3. Name of Technical Manager <u>Lemi</u> 5.4. Professional Level of Technical Manager <u>Level IV</u> 5.5. Name of Owner (s) <u>Lemi Teklewold</u>		5.6. Address a. Region: <u>Dromsa</u> b. Zone: <u>Hale</u> c. Woreda: <u>J. Geneti</u> d. House No: <u>new</u> e. Phone No: _____ f. Specific location: <u>Harato</u>		Date of Inspection (dd/mm/yy) <u>20/02/2017</u>
SN	Requirements	Compliance		
		Yes	No	NA
6.	Professionals			
6.1.	The technical manager and other technical personnel have valid and renewed professional licenses.	✓		
6.2.	For pharmacy, the technical manager has a minimum of three years of work experience as a pharmacist with a bachelor's or advanced degree in pharmaceutical sciences, or as a druggist or level IV pharmacy technician with an additional one year as a pharmacist.	✓		
6.3.	For drug shop, the technical manager has a druggist or level IV pharmacy technician with a minimum of three years of work experience, or a pharmacist with a minimum of one year of work experience as a pharmacist.	✓		
6.4.	The community pharmacy (pharmacy or drug shop) has at least one additional licensed pharmacist, druggist, or level IV pharmacy technician.		✓	
6.5.	The professionals have no known history of legal or unethical practices.	✓		
7.	Premises			
7.1.	Design, Layout and Location			
7.1.1.	The pharmacy or drug shop is self-contained and secured with a single point of entry and exit.	✓		
7.1.2.	The pharmacy or drug shop is located a minimum of 100 meters away from other community pharmacies or health facilities.	✓		
7.1.3.	Construction of the premises prevents direct sunlight, dust, moisture,	✓		



SN	Requirements	Compliance		
		Yes	No	NA
	entry of insects, animals (especially rodents) or birds, and flooding.			
7.1.4.	The walls are constructed and maintained from concrete or bricks and painted with washable paint. Internal partitions, if necessary, are made of aluminum board or bricks.	✓		
7.1.5.	The pharmacy displays a clear signboard bearing its name and working hours.		✓	
7.1.6.	The entrance, dispensing counter, and doorways are accessible to people with disabilities.	✓		
7.1.7.	The pharmacy or drug shop has dedicated premises including: - Store room ✓ - Dispensing room ✓ - Compounding room for pharmacy only (optional) ✗ - Counselling room ✓ - Drug information service shared with counselling room ✓ - Drug information Center (optional) ✓ - Administrative office and changing room or area ✗ - Toilet with water ✓ - Waiting area ✓			
7.1.8.	The dedicated rooms and areas are labelled.	✓	✓	
7.1.9.	The pharmacy or drug shop has adequate lighting and ventilation with the required illumination and light intensity (check lighting lamps, e.g., LED or fluorescents as an option).	✓		
7.1.10.	Floors, ceilings, and walls are smooth and washable; without dust, free of cracks and holes, discoloration, leakage/water stains, or other signs of disrepair.	✓		
7.2.	Environment, Security, and Safety			
7.2.1.	The pharmacy or drug shop is located 100 meters away from any facilities that adversely affect the quality of medicines.	✓		
7.2.2.	Electrical outlets are safe and properly maintained.	✓		
7.2.3.	The premises are lockable and not accessible to unauthorized entry.	✓		
7.2.4.	A functional fire extinguisher is available.			
7.2.5.	First-aid materials are available.		✓	
7.3.	Storage room			
7.3.1.	Storage room is at least 12 square meters in size for pharmacy, and 9 square meters for drug shop (measure the area in square meters, length, and width in meters). (Actual measurement $6 \times 5 = 30m^2$)	✓		
7.3.2.	Ceiling height is not less than 2.6 meters. In areas with consistently elevated temperatures; minimum ceiling height is 3 meters.	✓		
7.3.3.	Storage room is well ventilated, dry, and protected from direct sunlight and heat.	✓		
7.3.4.	Storage room is self-contained and secure with a lockable door.	✓		
7.3.5.	Walls are smooth and washable; not constructed from wood, corrugated sheet, mud, or grass materials.	✓		
SN	Requirements	Compliance		



		Yes	NO	NA
7.3.6.	Floor is smooth and easily washable; constructed from cement, ceramic, epoxy, or other related materials.	✓		
7.3.7.	Ceiling is smooth, washable, and heat resistant.	✓		
7.3.8.	Storage room has sufficient shelving constructed from a smooth, washable, and impermeable material.	✓		
7.3.9.	Shelves are available a minimum of 20 cm above the floor, one meter wide between shelves, and 25 cm away from the wall and 50 cm from the ceiling. If pallets are used, they are 20 cm above the floor, one meter between pallets, and 25 cm away from the wall (also check for their adequacy in number).	✓		
7.4.	Dispensing room			
7.4.1.	Minimum area of the dispensing room is 25 square meters for both pharmacy and 22 square meters for drug shop, with a minimum side measurement of 4 meters. (Actual measurement $6 \times 5 = 30m^2$)			
7.4.2.	Minimum ceiling height is 2.6 meters. In areas with consistently elevated temperatures, minimum ceiling height is 3 meters.	✓		
7.4.3.	Dispensing counter is at least 1.5 meters away from the back shelf and 2.5 meters away from the patient gate (check the distance with a calibrated meter).	✓		
7.4.4.	Dispensing counter is at least 0.60 meters wide, 1.10 meters high, and 1 meter long per dispenser, with a total length of not less than 3.5 meters for pharmacy (3 meters for drug shop).	✓		
7.4.5.	Availability of waiting area with seating options (number of seats depends on the number of patients).	✓		
7.4.6.	Size of dispensary and storage is adequate, allowing easy movement and workflow.	✓		
7.4.7.	Shelves in the dispensing room are a minimum of 20 cm above the floor, one meter wide between shelves, 25 cm away from the wall, and 50 cm from the ceiling. If pallets are used, they are 20 cm above the floor, one meter between pallets, and 25 cm away from the wall.	✓		
7.4.8.	Access restricted to authorized personnel in the actual dispensing area.	✓		
7.4.9.	Calibrated thermohydrometers are properly located at appropriate locations.		✓	
7.4.10.	Walls are clean, smooth, and washable; without dust, holes, or cracks, and made of a material that allows for easy cleaning.	✓		
7.4.11.	Roof is in good condition to avoid leakages; no holes or signs that water is running through (check if the ceiling is made of cardboard or cement).	✓		
7.4.12.	Dispensary is well illuminated and ventilated, with the required illumination and light intensity (check lighting lamps, e.g., LED and fluorescents as an option).	✓		
7.5.	Compounding room for pharmacy only (if available)			
7.5.1.	Compounding room is at least 9 square meters, with a minimum side measurement of 2.5 meters. (Actual measurement ____ x ____ = ____)			NA
7.5.2.	Compounding bench is at least 0.75 meters wide, with a total length of not less than 2 meters, and not less than 1.5 meters away from the gate.			NA
7.5.3.	Compounding bench is made of stainless steel, marble, or similar acceptable material, which is washable, impermeable, chemical-resistant, and waterproof.			NA
SN	Requirements	Compliance		
		Yes	No	NA



7.5.4.	Compounding bench top is not made of wood, cement, corrugated sheet, or plastic materials.			NA
7.5.5.	Compounding room is designed to avoid contamination and cross- contamination.			NA
7.5.6.	Walls of the compounding room are finished with a smooth, washable, and impermeable material, which is easy to clean and maintain in a hygienic condition.			NA
7.5.7.	Compounding room is neat, ventilated, and appropriate for compounding activities.			NA
7.5.8.	There is a storage cabinet or shelf for labelling and raw materials.			NA
7.5.9.	There is a suitable and clean wash basin made of a smooth, washable, and impermeable material, with a source of tap water and a closed drainage system.			NA
7.6.	Counselling room			
7.6.1.	Area of counseling room is at least 4 square meters, with a minimum side of 1.5 meters, and equipped with chairs and a table. (Actual measurement $3 \times 4 = 12m^2$)	✓		
7.6.2.	Counseling room is designed to maintain confidential conversation between pharmacy professionals and clients.	✓		
7.6.3.	Counseling room is easily accessible and, where possible, close to the dispensary.	✓		
7.7.	Drug information center only for pharmacy (optional)			NA
7.7.1.	Well-equipped drug information center with a minimum area of 12 square meters and minimum side length of 3 meters.			NA
7.7.2.	Additional office room for the staff of the drug information center.			NA
7.8.	Toilet with water			
7.8.1.	There is a toilet room for the <u>community pharmacy</u> , which may be shared with other facilities if it is in a multipurpose building.			NA
7.8.2.	Toilet room has readily available potable water with a hand wash basin, soap, and a closed drainage system.	✓		
7.8.3.	Toilet facilities are kept clean and in good order.	✓		
7.8.4.	Toilet has no direct access to dispensing and storage rooms.	✓		
7.8.5.	Toilet is clearly designated and labelled with arrows or images.	✓		



SN	Requirements	Compliance		
		Yes	No	NA
7.9.	Products (Equipment and materials)			
7.9.1.	Availability of continuous power supply.			
7.9.2.	Dispensing and storage equipment and materials include: a. Counting devices for tablets and capsules ✓ b. Tablet cutter. ✓ c. Stainless steel spoon ✓ d. A refrigerator equipped with a maximum and minimum thermometer. Pharmaceutical grade refrigerators should be recommended. ✓ e. Secure fixed metal cabinet or shelf with lock and key for narcotic drugs and psychotropic substances. ✓ f. Wall thermometer and hygrometer or thermohydrometer for both storage and dispensing room. g. Ventilator or air conditioner as appropriate. ✓ h. Fire extinguisher. ✓ i. First aid kit ✓ j. Scientific calculator and scissor ✓ k. Fixed telephone or mobile phone ✓ l. Computer (s) ✓ m. Shelves and pallets ✓ n. chairs for waiting area ✓ o. Reference materials (soft or hard copy latest version), including Martindale, Pharmacology textbooks, Medical dictionary, relevant proclamation, Community pharmacy medicine lists, National standard treatment guideline, National medicine formulary, National good dispensing manuals, ✓			



SN	Requirements	Compliance		
		Yes	NO	NA
7.9.3.	The compounding room is equipped with the following: a. Working bench with upper part made of marble or stainless steel b. Dispensing balance (Analytical balance), c. Mortar and pestle (glass or porcelain) not less than 250ml d. Stainless steel hot water bath (electrical) with four or more openings e. Hot plate (electrical) f. Shaker or stirring rods (glass or plastic) of different length and thickness g. Spatula (stainless steel, plastic, flexible or non-flexible) h. Ointment tile or slab i. Wash bottle j. Funnel (glass or polyethylene) k. Beaker (different sizes) l. Test tubes of different sizes m. Graduated cylinders (different volumes) n. Weighing paper (normal, grease-proof for semi solids) o. Weighing dishes (plastic, aluminum, stainless steel) p. Evaporating dish q. Volumetric flask r. PH meter s. Alcoholometry t. Thermometers u. Purified water v. Disposable gloves and masks w. Labelling and packing materials x. Electrical light or lamp			NA
7.9.4.	The drug information center (if established) has the following: h. Furniture (shelves, tables, and chairs). i. Telephone line j. Internet access k. Computer and software l. Printers and duplication machine m. Drug databases Reference materials (primary, secondary, and tertiary sources).			NA



During our observation

Summary of observations	The premises/environments are secured and safe. So we recommend to start the next step			
Consent of owner or technical manager	I confirm that to the best of my knowledge, the information/data provided in this checklist is true and correct. Name of Technical Manager/Owner <u>Hammit Tekonnen</u> Signature <u>[Signature]</u> Date <u>21/02/17</u> stamp _____			
Recommendation of inspectors	We confirm that the community pharmacy named above was inspected on [dd/mm/yyyy] <u>21/02/2017</u> and it was <u>[complied]</u> / not complied with all the stated requirements. Hence, we <u>[recommend]</u> / do not recommend issuing the certificate of competence.			
Name and signature of Inspectors	SN	Name	Date	Signature
	1.	<u>Alemayehu Wale</u>	<u>21/02/2017</u>	<u>[Signature]</u>
	2.	<u>Guiselesse Zele</u>	<u>21/02/2017</u>	<u>[Signature]</u>
	3.			
Decision of officials	Based on the recommendations of inspectors, I confirm that the certificate of competence can be <u>[issued]</u> / not issued to the named community pharmacy. Name _____ Date <u>21/02/2017</u> Signature with stamp _____			

Alamaayyoo Waqoo Walet
Alemayehu Wako Wale
 የጥጥር ዋና ዋና

Hammit Tekonnen Qulqullira
Tamir Tekonnen Bayyaan Walqabat. ali
 የጥጥር ዋና ዋና
 የጥጥር ዋና ዋና





Wajjira Fayyaa Godina Horro Guduru Wallaggaatiif

Shaambuu

Dhimmi:- **Waa'ee Dukkaana Qoricha Haaraa inspekshiniif ergame ilaala**

Akkuma mata duree irratti ibsuuf yaalametti **Obbo Lammi Mokonnin Tadaasa** abbaa qabeenyaa fi Ogeessaa tahuudhaan **Godina** Keessan Aanaa **Jimmaa Gannat** Magaala **Haratoo** Ganda **01** lakka. manaa haaraa keessatti Hayyama gahumsa Dukkaana Qorichaa haaraa baafatanii hojjechuu akka barbaadana xalayyaa gaafa guyyaa 07/02/2017 tiin nu gaafatanii jiru.

Haaluma kanaan Hayyamni gahumsa Dukkaana Qoricha kun Maqaa Ogeessa **Obbo Lammi Mokonnin Tadaasatiin** kennamuun dura manaa fi meeshaalee barbaachisan qopheeffachuu isaanii ilaalamee unki inspekshinii guutamee akka nuuf ergamu isin beeksifna.

Nagaa Wajjin

[Signature]
Shallama Dilgaa (BSC)
Qindeessaa Gannat Galmee
Ogummaa fi Hayyamaa

Hubachiisa:-

1. Bakka Manni Qorichaa itti gaafatame ykn itti banamu kun Dhaabbilee Fayyaa Kam irraayyu (Farmaasii, Dukkkaana qorichaa, Kilinika, Buufata Fayyaa ykn Hospitaala) irraa meetira 100 fi isaa ol fagaachuu qaba.
2. Manni Qoricha kun ulaagaa hin guunne yoo ta'e Unka inspekshinii guttanni akka hin ergine isin hubachiifana.



	Oromia Health Bureau Directorate of Health and Health Related Services and Products Quality Control and Regulation	FORM-SOP/DHHRSPR-PROC006-001
	Licensing request application form	

Name of the Community Pharmacy	Lami Drug Store
Address	City Harato
	Kebele 01
	Facility Phone Number
	Technical Manager Phone Number
	E-Mail Address of the facility
	Physical Address:

Indicate type of application: please tick or check a box.

New	☒	Renewal	☐
Change of ownership	☐	Change of professionals	☐
Change of location	☐	Replacement of certificate of competence	☐

A. For NEW application, please make sure that below requirements are fulfilled (Yes or No)

Educational evidence of technical manager	Yes
Employment agreement or contract of technical	Yes
Working experience letter of the technical manager from the employer that describes his/her resignation,	Yes
Proof of evidence if he/she had worked as a technical manager and from health regulatory bodies,	Yes
Professional license of the technical and storekeeper, Passport size photo of the technical manager, House rent contract or carta, or lease hold title certificate authenticated by Document Authentication and Registration Agency Trade bureau or any concerned Government office,	Yes
For partially completed building, provide authorization for use of the building for service from the responsible body.	No
Recent two passport size photos (not more than six months)	Yes
Payment of service fee	Yes

	Oromia Health Bureau Directorate of Health and Health Related Services and Products Quality Control and Regulation	FORM-SOP/DHHRSPR-PROC006-001
	Licensing request application form	

B. For Renewal application, please make sure that below requirements are fulfilled (Yes or No)	
Confirmation of payment of required service fee	
Upon submission of the internal audit report, if necessary and	
C. For change of certificate of competence replacement, please make sure that below requirements are fulfilled	
or change of physical address	
House rent contract or carta or lease hold title certificate	
authenticated by appropriate government body.	
Payment of service fee	
Previous original certificate of competence	
Recent two passport size photos (not more than six	
months) of technical manager	
description of the premises including pictures or videos of	
both the interior and exterior of the premises, if required	
Self-inspection result	
D. Change of Technical Manager, please make sure that below requirements are fulfilled	
Employment agreement of the new technical manager if the owner is different	
Education credentials	
Current original release and experience letter	
Professional license	
Payment of service fee	
Previous original certificate of competence	
Recent two passport size photos (not more than six	
E. Change of name of establishment, please make sure that below requirements are fulfilled	
Memorandum of establishment	



Oromia Health Bureau Directorate of Health and
Health Related Services and Products Quality
Control and Regulation

FORM-SOP/DHHRSPR-PROC006-001

Licensing request application form

Payment of service fee

Previous original certificate of competence

I certify I have read, understood, and agree to comply with community pharmacy compulsory standard regulating this licensing. I also certify the information herein submitted is true to the best of my knowledge and belief.

Owner Name

Lami Mekonnen

Technical Manager Name

Lami Mekonnen

Signature

[Signature]

Signature

[Signature]

Date

07/02/2017

Date

07/02/2017



Lakk/Ref No/ቁጥር: EF1/

Guyyaa/Date/ቀን:

1548/2017
6/02/2017

Qaamaa Dhimma ilaalu Hundaafi

B/J

Dhimmi: - Hojii Gad Lakkisuu Obboo Lammii Mokonin Taaddasaa Ilaala.

Akkuma armaan olitti ibsametti, **Obboo Lammii Mokonin Taaddasaa** Waajjira Fayyaa Godina Arsii Lixaa Aanaa Adaabbaa irraa fedhii isaaniitiin hojii gad lakkisuu isaanii ibsaa.

Haaluma kanaan

1. Bara qaxarii 01/08/2013
2. Bara Dhalootaa 24/08/1991
3. Gosa Barnootaa Druggist
4. Mindaa ji'aa 4609
5. Mindaa kanfalameef hanga Fulbaana bara 2017
6. Haala Qcarii Dhaabbiin
7. Sababa hojii itti gadii lakkisan Fedhiin
8. Sadarkaa Barnootaa IV
9. Qabxiin Madaallii hojii wol gala 95.5
10. Lakkofsa Sooramaa _____

11. Qabeenya Mootummaa deebiseera hanga guyyaa 04/02/2017 hojii iraa jiraarchuu isaa

yoo ta'u fedhii isaaniitiin hojii kan gad dhiisan waan ta'ef Qaaminni Dhimmi ilaalu hunduu deeggarsa barbaachisu akka gootaniif kabajaan isin gaafanna.

G.G

➤ Garee BMQNIID W/ra Keenyaaf
Shaashamannee

➤ Obboo Lammii Mokonin Taaddasaa tiif

B/J



Nagaa Wajjiin!

Mahammadamin Umar
መሀመድ አሙን ሀ-መር
Qindeessaa Garee BMQN
የሰው ሀይል አስተዳደር
ቡድን አስተባባሪ



Lakk/Ref No/ቁጥር:EF1/

Guyyaa/Date/ቀን:

10481/2017
6/10/2017

Qaamaa Dhimma ilaalu Hundaafi

B/J

Dhimmi: - Hojii Gad Lakkisuu Obboo Lammii Mokonin Taaddasaa Ilaala.

Akkuma armaan olitti ibsametti, **Obboo Lammii Mokonin Taaddasaa** Waajjira Fayyaa Godina Arsii Lixaa Aanaa Adaabbaa irraa fedhii isaaniitiin hojii gad lakkisuu isaanii ibsaa.

Haaluma kanaan

1. Bara qaxarii 01/08/2013
2. Bara Dhalootaa 24/08/1991
3. Gosa Barnootaa Druggist
4. Mindaa ji'aa 4609
5. Mindaa kanfalameef hanga Fulbaana bara 2017
6. Haala Qcarii Dhaabbiin
7. Sababa hojii itti gadii lakkisan Fedhiin
8. Sadarkaa Barnootaa IV
9. Qabxiin Madaallii hojii wol gala 95.5
10. Lakkofsa Sooramaa _____
11. Qabeenya Mootummaa deebiseera hanga guyyaa 04/02/2017 hojii iraa jiraarchuu isaa

yoo ta'u fedhii isaaniitiin hojii kan gad dhiisan waan ta'ef Qaaminni Dhimmi ilaalu hunduu deeggarsa barbaachisu akka gootaniif kabajaan isin gaafanna.

G.G

- Garee BMQNID W/ra Keenyaaf
Shaashamannee

ObbooLammii Mokonin Taaddasaa tiif

B/J



Nagaa Wajjiin!

Mahammadamin Umar
መሀመድ አሚን ሁመር

Qindeessaa Garee BMQN
የሰው ሀይል አስተዳደር
ዕድገት አስተዳደር



ኦሮሚያ ብሔራዊ ክልላዊ መንግስት
OROMIA NATIONAL REGIONAL GOVERNMENT
ጤና ጥበቃ ቢሮ
HEALTH BUREAU

BEFO/AHITQFFWO/28003
 ቀን 26/01/2014


የምዝገባ ቁጥር (Reg.No) JD = 82,423/2014

RPL=759

የሙያ ምዝገባና የሥራ ፈቃድ ምስክር ወረቀት
 የኢትዮጵያ ፌዴራላዊ ዲሞክራሲያዊ ሪፐብሊክ መንግስት የአስፈጻሚ
 አካላት ስልጣንና ተግባር ለመወሰን በወጣው አዋጅ ቁጥር 661/2002
 አንቀጽ 3/3 ለክልል ጤና ቢሮ በተሰጠው ስልጣንና ተግባር መሠረት፡-

ለሚ መኮንን ታደሰ

ተባቢውን የብቃት ደረጃ አሟልተው በጄኔሮ ድራጊስት ተመዝግበው
 ይህን የሙያ ምዝገባና የሥራ ፈቃድ ምስክር ወረቀት ተሰጥቷል፡፡


 የኃላፊው ፊርማ

ቀን 26/01/2014

ማስጠንቀቂያ

- የሙያ ምዝገባና የሥራ ፈቃድ ምስክር ወረቀት ጠየለሽነት ንጹህ ሆኖ መታዘዝ አለበት፡፡
- ስምና ፎቶግራፍ ከተገለፀው ሰው በስተቀር ሌላ አካል ሊገለገልበት አይችልም፡፡
- በማንኛውም ምክንያት ቢጠፋ ወዲያውኑ የማሳወቅ ግዴታ አለብዎት፡፡

PROFESSIONAL REGISTRATION AND LICENSING

CERTIFICATE The Regional Health Bureau by Virtue of the power vested in it by the
 Definitions of powers and Duties of the Executive Organs of the Federal Democratic Republic of Ethiopia proclamation Number 661/2009 Article 30(3);

LAMI MEKONNEN TADESSA

Having Duly Satisfied the requirements hereby registered and licensed as a
JUNIOR DRUGGIST



Signature of the authorized Personnel Date (Gregorian) 06/10/2021

N.B

- This certificate shall be renewed every five years.
- Is unlawful if it is found being used by another person.
- Holder is required to notify as soon as the certificate is lost.



NEW GENERATION UNIVERSITY COLLEGE



LAKK: NGUCNT/18227/10

TRAINING COMPLETION

RAGAA XUMURA

LEENJII

CERTIFICATE

LEENJ' AAN/TUUN

LAMI MEKONNEN TADESSA

TRAINEE

LAMI MEKONNEN T

Ogummaa 'PHARMACY' SADRKAA IV KAN GAGSUT
DANDA'ii GURANDHALA 2011 A.L.I. CHANGA

MUDDEE 29, 2013 - A.L.I SAGANTAA

HORDOFUUN XUMUREER & KANEFTI

COMPLETED A / AN REGULAR TRAINING PROGRAM IN THE
OCCUPATIONAL AREA PHARMACY WITH CAN QUALIFY
HER TO LEVEL IV FROM FEB. 2019

Baqalaa Dabalaa kono
01-11-2019

Bekete Debelak Kono

MALLATOOR

Baqalaa Dabalaa kono
01-11-2019

Bekete Debelak Kono

SIGNATURE



HUBACHISA: RAGAA KUN XUMURA LEENJII KAN AGARSISU MALEE MIRKANEESA
GAHUMSAATITE KAN TAJAAILU MITI. GAHUMSI SADRKAA LEENJ' ANIN KAN MIRKANA'UU
DANDA' U MADAALLI WIRTIU MIRKANEESA GAHUMSAATIIN QOFA TA'A.

NOTE: THIS CERTIFICATE IS A TRAINING COMPLETION. COMPETENCY CERTIFICATE CAN ONLY
BE ACQUIRED THROUGH PASSING COC'S OCCUPATIONAL ASSESSMENT.



Federal Democratic Republic of Ethiopia
Technical and Vocational Education and training
(TVET) Agency



National Qualification Certificate

is awarded to

Lami Mekonnen Tadesa



for having demonstrated competence against the **Ethiopian**
Occupational Standard for

Pharmacy

Level: IV

Assessment Date: 18/06/2021 Assessment Center: Shambu FVC
certificate No.: HLT PHS4-OAMB-0270 Issued on: 21/06/2021

Valid until: 21/06/2024

ገብረ ገብረ
Getachew Negasi

Federal TVET Agency **Director General**

Silashii Qixxaataa Tadoosaa
ሰላሲ ቀጣታ አደሳ
Ejensii Mirkaneessa Gahumsa
Ogummaa Oromiyaatti
Hooogganaa Damee -Amboo
ወኪል የጥያቄ ባለቤት ግራግራ
የዚህ የዘመን ቅርንጫፍ ሲሆን

Agency/Center of Competence

Code A:

Control: № 2314020



- This National Qualification Certificate is issued under the authority of Federal TVET Agency & recognized within the National TVET Qualifications Framework.
- For the details of the Qualification, please refer to the list of units of competence attached to this Certificate.
- This certificate is Valid; if the preceding levels of certificate/s is/are presented



NEW GENERATION UNIVERSITY COLLEGE



LAKK: NGUCNT/18227/10

TRAINING COMPLETION

CERTIFICATE

RAGAA XUMURA
LEENJII

LEENJI'AAN/TUUN LAMI MEKONNEN TADESS

LAMI MEKONNEN TADESS

OGUMMAA 'PHARMACY' SADARKAA III KAN GEE'SISU
DANDA'U FULBAANA 2010 A.L.I HANGA ANA
30, 2011 A.L.I SAGANTAA IDILEE HORDOFUUN
XUMUREERA/TEETTI

ACCREDITED PUBLISHED A/AN REGULAR TRAINING PROGRAM IN
THE OCCUPATIONAL AREA PHARMACY WHICH CAN
QUALIFY HIM/HER TO LEVEL III FROM
JUNE 07, 2018 G.C.

Baqalaa Dabalaa Koonoo
04/0 x.m 1st

Baqalaa Dabalaa Koonoo
04/0 x.m 1st

Dimekela Debeta Kono
NGUC Deat
P.L.R.H

NGUC Deat
P.L.R.H

SIGNATURE

HUBACHISA: RAGAA KUN XUMURA LEENJI KAN AGARSISU MALEE MIRKANEESA
GAHUMSAATIE KAN TAJAJILU MITI. GAHUMSI SADARKAA LEENJ'ANIIN KAN MIRKANA'UU
DANDA'U MADDAILII WIRITUU MIRKANEESA GAHUMSAATIIN QOFA TA'A.

NOTE: THIS CERTIFICATE IS A TRAINING COMPLETION. COMPETENCY CERTIFICATE CAN ONLY
BE ACQUIRED THROUGH PASSING COC'S OCCUPATIONAL ASSESSMENT.





**Oromia National Regional State Oromia Occupational
Competence Assurance Agency Nekemte -Branch**

TEMPORARY NATIONAL CERTIFICATE

is awarded to



Lami Mekonnen Taddesa

for having demonstrated competence against the Ethiopian Occupational
Standard for

Pharmacy level - III

Certificate Number - **HLT-PHS3-ONKB-0043** Issued on: **November 27, 2018**

Valid Until: **November 27, 2021**

This certificate of competence has been given pending the printing and
issuance of the actual National certificate. And it shall be surrendered when
claiming the Original National Certificate.

Baleay Olanil Dureessa
ሰላይ ዓለኒ ድረፎሳ
Baleay Olanil Dureessa
Abbas Adenisse Hailu
ሀይለማርያም ለበረከት
M.A. MATH. 12+ 2017



Woggenaa Asaffaa Baniti
ወግጭ ለሰላይ ድረፎሳ
Ejensii Mirkaneessa Gahumaa
Oromiyaa Damiyaatti
Woggenaa Damiya Naqamtee
ገርግጦ የሰላይ ድረፎሳ
12+ 2017

This National Certificate is issued under the authority of the Ministry of Education and is recognized
within the Ethiopian TVET Qualifications Framework.