



Mootummaa Naannoo Oromiyaatti Biiroo Fayyaa
በኦሮሚያ ክልላዊ መንግስት ጤና ቢሮ

Hayyama gahumsaa
የብቃት ማረጋገጫ ምስክር ወረቀት

ቁጥር/Lakkoofsa 23, 828
ቀን/Guyyaa 5-3-18

Odeeffannoo Dhaabbatichaa

/የተቋም መረጃ


Maqaa Dhaabbatichaa/ ስም	Geda Drug Store	Gosa Dhaabbatichaa /የተቋም ዓይነት	Drug Store
Naannoo/ክልል	Oromia Region	Godina /ክፍለ አካል / ሀገር	West Arsi Zone
Magaalaa / ከተማ	Kore	Aanaa/ወረዳ	Kore
Ganda/ቀበሌ	Kore	Lakkoofsa Manaa/የቤት ቁጥር	New
Lakkoofsa Bilbilaa/የስልክ ቁጥር	+251-936478303		

Oddeeffannoo abbaa Qabeenyummaa/የባለቤትነት መረጃ

Abbaa Qabeenyummaa/ ባለቤትነት	Private	Maqaa abba Qabeenyummaa /የባለቤት ሙሉ ስም	Urgessa Kasim
----------------------------------	---------	---	---------------

Oddeeffannoo Ogeessa Teeknikaa/የቴክኒካዊ መሪ መረጃ

Lakkoofsa Galmee Ogummaa/ የምዝገባ ቁጥር	JD=69,596/2013, RPL=745	Maqaa / የቴክኒካዊ መሪ ስም	Wariyo Gameda Nure
Gosa Ogummaa ተፈላጊ የሆኑት	Junior Druggist		



ኋለኛው ትኬት ላይ ባለው መረጃ መሰረት በጋራ ስም የሚሰጠው የምዝገባ መደብረት እና የጤና ክብካቤ አስተዳደርና ቁጥጥር ባለስልጣን ማቋቋሚያ አዋጅ 661/2002 መሠረት ለጤና ተቋማት ይሰጣል፡፡

Mallattoo Abba taayitaa/የኃላፊ ፊርማ

ክፍለ/ጋራ/ፊርማ Tikemet-29-2017 E.C. 11/08/2024 G.C.

Lakk Kaarniitii/የደረሰኝ ቁጥር 0319684
Mallattoo/ፊርማ

haarayomera/ታሪክ E.C. G.C.

Lakk Kaarniitii/የደረሰኝ ቁጥር

Mallattoo/ፊርማ

Hubachiisa

1. Hayyamichi barri bajataa galee hanga dhuma Qaammeetti yoo haaromfamuu baate akka haqametti larkaa'ama.
2. Hayyamichi dhaabbaticha keessa fuuldura bakka mul'atu taa'uu qaba.
3. qaama too'atu osoo hin beeksisin dhaabbaticha iddoo tokkoo iddoo biraatti jijjiiruun dhorkaadha

ማስጠንቀቂያ

1. ፍተሱ የበጀት ዓመቱ ከገባ በኋላ እስከ ጳጉሜ መጨረሻ ካልታደሰ እንደተሰረዘ ይቆጠራል፡፡
2. ፍቃዱ በድርጅቱ ውስጥ ፊትለፊት በሚታይ ቦታ መቀመጥ አለበት፡፡
3. ለተቆጣጣሪ አካሉ ሳያሳውቁ ድርጅቱን ወደ ሌላ ቦታ ማዘዋወር አይቻልም፡፡



Guyyaa
Date
Lakk
Ref.no

ቀን 08-03-17
ቀጥር 23, 328

Waajjira Fayyaa Godina Arsii Lixaatiif

Shaashamannee

Dhimmi:- **Haayyama Dukkaana Qorichaa Gadaa jedhamu haaraa kenname ilaala**

Akkuma mata duree irratti ibsuuf yaalametti **Obbo Urgeessaa Qaasim** abbaa qabeenyaa ta'uudhaan **Ogeessa Obbo Waariyoo Gammadaa Nuuree** waliin Godina keessan Aanaa Qoree Magaala **Qoree Ganda 01** lakk. manaa haaraa keessatti **Haayyama Dukkaana Qorichaa Gadaa jedhamu** bafatanii hojjechuu kan isaan dandeessisu Unka inspekshinii xalayyaa lakk: EF1/1777/2017 gaafa guyyaa 2/3/2017 tiin nu gaafatanii jirtu.

Haaluma kanaan Haayyamni gahumsa Dukkaana Qorichaa kun Maqaa Ogeessa **Obbo Waariyoo Gammadaa Nuureetiin** waan isaaniif kennameef, waajjirri keessanis kanuma beekuudhaan Ogeessii fi Dhabbatni Dukkanni Qorichaa kun Qajeelfamaa fi seeraa jiruun hojjechaa jiraachuu hubachuun to'annoo fi hordoffii gaggeessuun raawwii isaa ji'a sadi sadiin gabaassa akka nuuf gootan isin beeksifna.

Nagaa Wajjin

Shallama Dilgachew (BSC)
Qindeessaa Qoree Qalmees
Ogummaa fi Hayyamaa

G/G

- Waajjira Daldaalaa fi Misooma Gabayaa Godina Arsii Lixaatiif

Shaashamannee



Lakk/Ref No/ቁጥር:EF1/

Guyyaa/Date/ቀን:

1777 / 12017
02 / 103 / 12017

BFO tiif

FinfinneeDhimmi: - Inspeekshiiin Haayyaama Dukkaana Qorichaa haara gaggeeffame erguu ilaala..

Akkuma mata duree gubbatti tuqamuuf yaalameetti Dukkaana Qorichaa haaraa lakk. BEFO 23,450 Guyyaa 27/01/2017 BEFO irra nuuf barraaheen oggeessa Wariyo Gammadaa fi Abbaa qabeenyaa Obbo Urgeessa Qaasim ta'uun Aanaa Qoree Magaala Qoree ganda 01 keessatti inpeekshiiin gaggeessine guunnee akka eginu nu gaafatuun keessan ni yaadatama . Nutis kanumaa irraa ka'uun unkaa inspeekshiiin akkaata istaandardii taa'een guunnee kan isiniif erginee ta'uu isin beeksifna.

G/G

➤ Adeemsa/Ho/To/Qu/Fa fi

Fa/Wal/Omishtootatiif

Shaashamannee

Nagaa wajjiin

Ahimad Hamiid Goobanaa


አህመድ ሐሚድ ጎበና

Bsc. Pharmacy


Abbaa Adeemsa Too'annoo Qulqullina
Tajaajila Fayyaa fi Fayyaan Walqabatani
የጤና ሚኒስቴር ነፃ ኦገልግሎት
ፕራት ቁጥር 246

Pre-licensing Inspection Checklist for Medicine Retail Outlet (Pharmacy & Drug Shop)


	Name of the Region/Zone/Woreda/Agency	FORM No.: 001		
Title:	Pre-licensing Inspection Checklist	SOP No.		
		Revision No:		
Instruction: This checklist is designed to assess the compliance rate of community pharmacies, focusing on premises, personnel, and products (equipment and materials). Complete all sections of the checklist (Yes, No, NA).				
5. General Information				
5.1. Level of community pharmacy a. Pharmacy (Yes, No) b. Drug shop (Yes, No)		5.6. Address a. Region: <u>Oromia</u> b. Zone: <u>West Arsi</u> c. Woreda: <u>Kore</u> d. House No: <u>Now</u> e. Phone No: <u>0936478303</u> f. Specific location: <u>Neen D</u>		Date of Inspection (dd/mm/yy)
5.2. Name of pharmacy/drug shop <u>Gede</u>				
5.3. Name of Technical Manager <u>Waziyu</u>				
5.4. Professional Level of Technical Manager <u>Druggist</u>				
5.5. Name of Owner (s) <u>Urgeza Kesim Dekebo</u>				
SN	Requirements	Compliance		
		Yes	No	NA
6. Professionals				
6.1.	The technical manager and other technical personnel have valid and renewed professional licenses.	✓		
6.2.	For pharmacy, the technical manager has a minimum of three years of work experience as a pharmacist with a bachelor's or advanced degree in pharmaceutical sciences, or as a druggist or level IV pharmacy technician with an additional one year as a pharmacist.	✓		
6.3.	For drug shop, the technical manager has a druggist or level IV pharmacy technician with a minimum of three years of work experience, or a pharmacist with a minimum of one year of work experience as a pharmacist.	✓		
6.4.	The community pharmacy (pharmacy or drug shop) has at least one additional licensed pharmacist, druggist, or level IV pharmacy technician.	.		
6.5.	The professionals have no known history of legal or unethical practices.	✓		
7. Premises				
7.1.	Design, Layout and Location			
7.1.1.	The pharmacy or drug shop is self-contained and secured with a single point of entry and exit.	✓		
7.1.2.	The pharmacy or drug shop is located a minimum of 100 meters away from other community pharmacies or health facilities.	✓		
7.1.3.	Construction of the premises prevents direct sunlight, dust, moisture,	✓		



SN	Requirements	Compliance		
		Yes	No	NA
	entry of insects, animals (especially rodents) or birds, and flooding.			
7.1.4.	The walls are constructed and maintained from concrete or bricks and painted with washable paint. Internal partitions, if necessary, are made of aluminum board or bricks.	✓		
7.1.5.	The pharmacy displays a clear signboard bearing its name and working hours.	✓		
7.1.6.	The entrance, dispensing counter, and doorways are accessible to people with disabilities.	✓		
7.1.7.	The pharmacy or drug shop has dedicated premises including: - Store room ✓ - Dispensing room ✓ - Compounding room for pharmacy only (optional) - Counselling room - Drug information service shared with counselling room - Drug information Center (optional) - Administrative office and changing room or area - Toilet with water ✓ - Waiting area ✓	✓		
7.1.8.	The dedicated rooms and areas are labelled.	✓		
7.1.9.	The pharmacy or drug shop has adequate lighting and ventilation with the required illumination and light intensity (check lighting lamps, e.g., LED or fluorescents as an option).	✓		
7.1.10.	Floors, ceilings, and walls are smooth and washable; without dust, free of cracks and holes, discoloration, leakage/water stains, or other signs of disrepair.	✓		
7.2.	Environment, Security, and Safety			
7.2.1.	The pharmacy or drug shop is located 100 meters away from any facilities that adversely affect the quality of medicines.	✓		
7.2.2.	Electrical outlets are safe and properly maintained.	✓		
7.2.3.	The premises are lockable and not accessible to unauthorized entry.			
7.2.4.	A functional fire extinguisher is available.	✓		
7.2.5.	First-aid materials are available.	✓		
7.3.	Storage room			
7.3.1.	Storage room is at least 12 square meters in size for pharmacy, and 9 square meters for drug shop (measure the area in square meters, length, and width in meters). (Actual measurement $5.10m \times 2.5m = 12.75m^2$)	✓		
7.3.2.	Ceiling height is not less than 2.6 meters. In areas with consistently elevated temperatures, minimum ceiling height is 3 meters.	✓		
7.3.3.	Storage room is well ventilated, dry, and protected from direct sunlight and heat.	✓		
7.3.4.	Storage room is self-contained and secure with a lockable door.	✓		
7.3.5.	Walls are smooth and washable; not constructed from wood, corrugated sheet, mud, or grass materials.	✓		
SN	Requirements	Compliance		



		Yes	NO	NA
7.3.6.	Floor is smooth and easily washable; constructed from cement, ceramic, epoxy, or other related materials.	✓		
7.3.7.	Ceiling is smooth, washable, and heat resistant.	✓		
7.3.8.	Storage room has sufficient shelving constructed from a smooth, washable, and impermeable material.	✓		
7.3.9.	Shelves are available a minimum of 20 cm above the floor, one meter wide between shelves, and 25 cm away from the wall and 50 cm from the ceiling. If pallets are used, they are 20 cm above the floor, one meter between pallets, and 25 cm away from the wall (also check for their adequacy in number).	✓		
7.4.	Dispensing room			
7.4.1.	Minimum area of the dispensing room is 25 square meters for both pharmacy and 22 square meters for drug shop, with a minimum side measurement of 4 meters. (Actual measurement $4.5m \times 6m = 27m^2$)	✓		
7.4.2.	Minimum ceiling height is 2.6 meters. In areas with consistently elevated temperatures, minimum ceiling height is 3 meters.	✓		
7.4.3.	Dispensing counter is at least 1.5 meters away from the back shelf and 2.5 meters away from the patient gate (check the distance with a calibrated meter).	✓		
7.4.4.	Dispensing counter is at least 0.60 meters wide, 1.10 meters high, and 1 meter long per dispenser, with a total length of not less than 3.5 meters for pharmacy (3 meters for drug shop).	✓		
7.4.5.	Availability of waiting area with seating options (number of seats depends on the number of patients).	✓		
7.4.6.	Size of dispensary and storage is adequate, allowing easy movement and workflow.	✓		
7.4.7.	Shelves in the dispensing room are a minimum of 20 cm above the floor, one meter wide between shelves, 25 cm away from the wall, and 50 cm from the ceiling. If pallets are used, they are 20 cm above the floor, one meter between pallets, and 25 cm away from the wall.	✓		
7.4.8.	Access restricted to authorized personnel in the actual dispensing area.	✓		
7.4.9.	Calibrated thermohydrometers are properly located at appropriate locations.			
7.4.10.	Walls are clean, smooth, and washable; without dust, holes, or cracks, and made of a material that allows for easy cleaning.	✓		
7.4.11.	Roof is in good condition to avoid leakages; no holes or signs that water is running through (check if the ceiling is made of cardboard or cement).	✓		
7.4.12.	Dispensary is well illuminated and ventilated, with the required illumination and light intensity (check lighting lamps, e.g., LED and fluorescents as an option).	✓		
7.5.	Compounding room for pharmacy only (if available)			
7.5.1.	Compounding room is at least 9 square meters, with a minimum side measurement of 2.5 meters. (Actual measurement ___ x ___ = ___)			NA
7.5.2.	Compounding bench is at least 0.75 meters wide, with a total length of not less than 2 meters, and not less than 1.5 meters away from the gate.			NA
7.5.3.	Compounding bench is made of stainless steel, marble, or similar acceptable material, which is washable, impermeable, chemical- resistant, and waterproof.			NA
SN	Requirements	Compliance		
		Yes	No	NA



7.5.4.	Compounding bench top is not made of wood, cement, corrugated sheet, or plastic materials.			NA
7.5.5.	Compounding room is designed to avoid contamination and cross- contamination.			NA
7.5.6.	Walls of the compounding room are finished with a smooth, washable, and impermeable material, which is easy to clean and maintain in a hygienic condition.			NA
7.5.7.	Compounding room is neat, ventilated, and appropriate for compounding activities.			NA
7.5.8.	There is a storage cabinet or shelf for labelling and raw materials.			NA
7.5.9.	There is a suitable and clean wash basin made of a smooth, washable, and impermeable material, with a source of tap water and a closed drainage system.	✓		
7.6.	Counselling room			
7.6.1.	Area of counseling room is at least 4 square meters, with a minimum side of 1.5 meters, and equipped with chairs and a table. (Actual measurement $2m \times 2m = 4m^2$)	✓		
7.6.2.	Counseling room is designed to maintain confidential conversation between pharmacy professionals and clients.	✓		
7.6.3.	Counseling room is easily accessible and, where possible, close to the dispensary.	✓		
7.7.	Drug information center only for pharmacy (optional)			
7.7.1.	Well-equipped drug information center with a minimum area of 12 square meters and minimum side length of 3 meters.			
7.7.2.	Additional office room for the staff of the drug information center.			
7.8.	Toilet with water			
7.8.1.	There is a toilet room for the community pharmacy, which may be shared with other facilities if it is in a multipurpose building.	✓		
7.8.2.	Toilet room has readily available potable water with a hand wash basin, soap, and a closed drainage system.	✓		
7.8.3.	Toilet facilities are kept clean and in good order.	✓		
7.8.4.	Toilet has no direct access to dispensing and storage rooms.	✓		
7.8.5.	Toilet is clearly designated and labelled with arrows or images.	✓		



SN	Requirements	Compliance		
		Yes	No	NA
7.9.	Products (Equipment and materials)			
7.9.1.	Availability of continuous power supply.			
7.9.2.	Dispensing and storage equipment and materials include:			
	a. Counting devices for tablets and capsules			
	b. Tablet cutter.			
	c. Stainless steel spoon ✓			
	d. A refrigerator equipped with a maximum and minimum thermometer. Pharmaceutical grade refrigerators should be recommended.			
	e. Secure fixed metal cabinet or shelf with lock and key for narcotic drugs and psychotropic substances. ✓			
	f. Wall thermometer and hygrometer or thermohydrometer for both storage and dispensing room. ✓			
	g. Ventilator or air conditioner as appropriate.			
	h. Fire extinguisher. ✓			
	i. First aid kit ✓			
	j. Scientific calculator and scissor ✓			
	k. Fixed telephone or mobile phone			
	l. Computer (s)			
	m. Shelves and pallets ✓			
	n. chairs for waiting area ✓			
	o. Reference materials (soft or hard copy latest version), including Martindale, Pharmacology textbooks, Medical dictionary, relevant proclamation, Community pharmacy medicine lists, National standard treatment guideline, National medicine formulary, National good dispensing manuals,	✓		



SN	Requirements	Compliance		
		Yes	NO	NA
7.9.3.	The compounding room is equipped with the following: a. Working bench with upper part made of marble or stainless steel b. Dispensing balance (Analytical balance), c. Mortar and pestle (glass or porcelain) not less than 250ml d. Stainless steel hot water bath (electrical) with four or more openings e. Hot plate (electrical) f. Shaker or stirring rods (glass or plastic) of different length and thickness g. Spatula (stainless steel, plastic, flexible or non-flexible) h. Ointment tile or slab i. Wash bottle j. Funnel (glass or polyethylene) k. Beaker (different sizes) l. Test tubes of different sizes m. Graduated cylinders (different volumes) n. Weighing paper (normal, grease-proof for semi solids) o. Weighing dishes (plastic, aluminum, stainless steel) p. Evaporating dish q. Volumetric flask r. PH meter s. Alcoholometry t. Thermometers u. Purified water v. Disposable gloves and masks w. Labelling and packing materials x. Electrical light or lamp			
7.9.4.	The drug information center (if established) has the following: h. Furniture (shelves, tables, and chairs). i. Telephone line j. Internet access k. Computer and software l. Printers and duplication machine m. Drug databases Reference materials (primary, secondary, and tertiary sources).			



Summary of observations	It is full the standard!			
Consent of owner or technical manager	I confirm that to the best of my knowledge, the information/data provided in this checklist is true and correct. Name of Technical Manager/Owner <u>Kelano Gemeda</u> Signature <u>[Signature]</u> Date <u>26/02/2017</u> stamp _____			
Recommendation of inspectors	We confirm that the community pharmacy named above was inspected on [dd/mm/yyyy] _____ and it was [complied / not complied] with all the stated requirements. Hence, we [recommend / do not recommend] issuing the certificate of competence.			
Name and signature of Inspectors	SN	Name	Date	Signature
	1.	Ahmed Hamid	26/02/2017	[Signature]
	2.	Jambo Haji	26/02/2017	[Signature]
	3.	Mukhidin Tufa	26/02/2017	[Signature]
Decision of officials	Based on the recommendations of inspectors, I confirm that the certificate of competence can be [issued / not issued] to the named community pharmacy. Name _____ Date _____ Signature with stamp _____			





Waajjira Fayyaa Godina Arsi Lixaatiif


Shaashamanne

Dhimmi:- **Waa'ee dukkana Qoricha haaraa inspekshiniif ergame ilaala**

Akkuma mata duree irratti ibsuuf yaalametti **Obbo Urgeessa Qaasim** abbaa qabeenyaa fi **Obbo Wariyo Gemedaa Nuree** immoo ogeessa ta'uudhaan Godina Keessan Aanaa **Qoree** Magaala **Qoree 01** Ganda **01**; lakk. manaa haaraa keessatti Hayyama gahumsa Dukkana Qorichaa haaraa baafatanii hojjechuu akka barbaadan xalayyaa gaafa guyyaa 27/01/2017 tiin nu gaafatanii jiru.

Haaluma kanaan Hayyamni gahumsa Dukkana Qoricha kun Maqaa Ogeessa **Obbo Wariyo Gemedaa Nureetiin** kennamuun dura manaa fi meeshaalee barbaachisan qopheeffachuu isaanii ilaalamee unki inspekshinii guutamee akka nuuf ergamu isin beeksifna.

Nagaa Wajjin


Shallama Dilgamasaa (BSC)
Qindeessaa Garee Galmee
Ogummaa fi Hayyamaa

Hubachiisa:-

1. Bakka Dukkaanni Qorichaa itti gaafatame ykn itti banamu kun Kilinika ykn Buufata Fayyaa ykn Hospitaala irraa meetira 100 fi isaa ol fagaachuu qaba.
2. Dukkaanni Qoricha kun ulaagaa hin guunne yoo ta'e Unka inspekshinii guttanni akka hin ergine isin hubachiifana.



	Oromia Health Bureau Directorate of Health and Health Related Services and Products Quality Control and Regulation	FORM-SOP/DHHRSPR-PROC006-001
	Licensing request application form	

Name of the Community Pharmacy	Geda Pharmacy
Address	City Kave
	Kebele Kave
	Facility Phone Number 093649 8303
	Technical Manager Phone Number 0910565943
	E-Mail Address of the facility
Physical Address: wlosl Arsi, Kave wloleda	

Indicate type of application: please tick or check a box.

New	☒	Renewal	☐
Change of ownership	☐	Change of professionals	☐
Change of location	☐	Replacement of certificate of competence	☐
A. For NEW application, please make sure that below requirements are fulfilled			(Yes or No)
Educational evidence of technical manager			Yes
Employment agreement or contract of technical			Yes
Working experience letter of the technical manager from the employer that describes his/her resignation,			Yes
Proof of evidence if he/she had worked as a technical manager and from health regulatory bodies,			Yes
Professional license of the technical and storekeeper, Passport size photo of the technical manager, House rent contract or carta, or lease hold title certificate authenticated by Document Authentication and Registration Agency Trade bureau or any concerned Government office,			Yes
For partially completed building, provide authorization for use of the building for service from the responsible body.			No
Recent two passport size photos (not more than six months)			Yes
Payment of service fee			yes

	Oromia Health Bureau Directorate of Health and Health Related Services and Products Quality Control and Regulation	FORM-SOP/DHHRSPR-PROC006-001
	Licensing request application form	

B. For Renewal application, please make sure that below requirements are fulfilled (Yes or No)	
Confirmation of payment of required service fee	
Upon submission of the internal audit report, if necessary and	
C. For change of certificate of competence replacement, please make sure that below requirements are fulfilled	
For change of physical address	
House rent contract or carta or lease hold title certificate	
authenticated by appropriate government body.	
Payment of service fee	
Previous original certificate of competence	
Recent two passport size photos (not more than six	
months) of technical manager	
description of the premises including pictures or videos of	
both the interior and exterior of the premises, if required	
Self-inspection result	
D. Change of Technical Manager, please make sure that below requirements are fulfilled	
Employment agreement of the new technical manager if the owner is different	
Education credentials	
Current original release and experience letter	
Professional license	
Payment of service fee	
Previous original certificate of competence	
Recent two passport size photos (not more than six	
E. Change of name of establishment, please make sure that below requirements are fulfilled	
Memorandum of establishment	

	Oromia Health Bureau Directorate of Health and Health Related Services and Products Quality Control and Regulation	FORM-SOP/DHHRSPR-PROC006-001
	Licensing request application form	

Payment of service fee		
Previous original certificate of competence		
I certify I have read, understood, and agree to comply with community pharmacy compulsory standard regulating this licensing. I also certify the information herein submitted is true to the best of my knowledge and belief.		
Owner Name	Technical Manager Name	
Signature	Signature	
Date	Date	

Owner Name: Abigessa Kasim
 Signature: [Signature]
 Date: 27/01/2017

Technical Manager Name: Xloriyo Gemecha
 Signature: [Signature]
 Date: 27/01/2017

Guyyaa 27/01/2017

Unka Waadaa Waliigaltee Ogeessi Teeknikaa Biiroo Fayyaa Waliin galu

Ani Dr./Obbo/Adde/Sr. Waanitoo Gemedan Sadarkaa
Dhaabbatichaa Dukkanaa Bonche Gadaa

ogummaa Dru fisti tiin hojii hojjechuuf hayyama
mirkaneessa ga'umsaa baasee gochoonni seeran alaa 1-5 tti tarreeffaman kun yoo
xiqqaaate tokko raawwatame taanan

1. Hayyama Mirkaneessa Ga'umsaa Biiroo Fayyaarraa ogeessa Teeknikaa ta'ee baaseen bakka ani hin jirretti beekamtii qaama too'atuutiin ala yoo hojiin qaama sadaffaadhaan ittiin hojjetamaa jirtaate
2. Bakka ani hin jirretti dhaabbanni maqaa kootiin saaqame yakka kamiyyuu yoo raawwate
3. Akka biyyaattis ta'ee akka naannootti maqaa kootin ogeessa teeknikaa ta'ee dhaabbanni gara biraa saaqamee yoo jiraate
4. Hayyama mirkaneeffannaa ga'umsaa maqaa kootin baasee osoon Biiroo Fayyaa Oromiyaatti hin deebisin dhaabbata biraa keessa (mana Mootummaa, Dhaabbata Miti-Mootummaa ykn Dhaabbata Dhuunfaa) qacaramee yoon argame
5. Dhaabbata maqaa kootiin ba'e keessatti meshaalee fi qorichoonni seeraan alaa yoo argamanii fi sadarkaa dhaabbatichaaf hayyameen oli meeshaalee ykn qorichootas yoo qabatee fi shaakala(Practice) yoo godhe
6. Dhaabbannikoo Dhaabbata biraa akka Naannootti fageenyi meetira 100 gadi irratti dhorkaa ta'e irraa meetira 100 gadi yoo ta'e

Tarkaaffii Bulchiinsaas ta'ee **Tarkaaffii Seeraa** narratti fudhatamuuf itti-gaafatamummaa akkan fudhadhu mallattoo kootin nin mirkaneessa. Anis abbaa qabeenyaa dhaabbata kanaa ta'ee dhimmoota seeran alaa dhaabbata kana keessatti raawwatamaniif itti-gaafatammummaa fudhachuukoo mallattoo kootiin nin mirkaneessa.

Maqaa Guutuu ogeessaa

Waanitoo Gemedan

Mallattoo

Guyyaa

[Signature]

27/01/2017

Maqaa Guutuu abbaa qabeenyaa

Urgeessaa Qaasim



Lakk/Ref No/ቁጥር:EF1/ 549/ / 2016
Guyyaa/Date/ቀን: 20/12/2016

BFO tiif

Finfinnee

Dhimmi: - Muuxannoo Obbo Waariyoo Gammadaatiif kennuu ilaala .

Akkuma mata duree gubbatti tuqamuuf yalameetti Obbo Waariyoo Gammadaatiif Kan jedhaman Godina keenya Aanaa Naansaboo magaala Warqaa gandaa 01 keessaattii Dukkaanaa Qorichaa Harannaa fi Maddaa Walaabuu **jedhamuu kessaatii Guyyaa 24/11/2013 haggaa 30/03/2014** fi Dukkaana Qorichaa Maddaa Walaabuu 01/04/2014 irraa hangaa 30/11/2016 **ttii** ogummaa 'Junior Druggist' tiin hojjetaa turuu isaanii fi Gibira mootummaa kafalaa turu isaani ibsuun waaajjiri fayyaa Aanaa Nansaboo xaalayaa lakk.341/x/50/53/2016 Guyyaa 06/12/2016 nuuf barreessen nu beeksiisee jira .

Buu'uruma kanaan nutis xaalayaa deeggarsaa **muuxannoo hojii Obbo Waariyoo Gammadaatiif tiif** kennuu keenna xaalayaa kanaan ibsaa Deeggarsa barbaachiisaa ta'ee akka gootaaniif kabajaadhaan gaaffannaa.



Nagaa wajjiin


Ahimad Hamiid Goobanaa
ኣህመድ ሐሚድ ገበየሁ
Bsc. Pharmacy
Abbaa Adeemsa Too'annoo Qulqullinna
Tajaajila Fayyaa fi Fayyaan Walqabataniif
የጤና ጤና ነገ ልማትና ጥገና ጽ/ቤት

G/G

- Adeemsa Hojii Toa'annoo Qulqullinna fayyaa fi fayyaan walqabataniif oomshitootaatiif

Shaashamannee

Bulchiinsa Mootummaa Naannoo
Oromiyaatti Waajjira Galiiwwan
Damee Aanaa Nansaboo
በኦሮሚያ ክልላዊ መንግስት
አስተዳደር የሃሳብ
ወረዳ ገቢዎች ቅርንጫፍ ጽ/ቤት

Lakk 156-01-7080/16

Guyyaa 01/12/2016

Waajjira Galiiwwan Aanaa Nansaboo

Qaama dhimmi ilaalu Hundaaf

B/J

Dhimmi: muuxannoo Hojii Kennuuf Ilaala

Obbo Wariyoo Gammadaa Aanaa Nansabootti Dukkaana Qoricha Harannaatti guyyaa 24/11/2013 irraa hanga guyyaa 30/03/2014tti fi Dukkaana Qoricha Madda Walaabuutti 01/04/2014 irraa hanga 30/11/2016tti qacamee yeroo hojjataa turanitti mindaan isaanii kan ji'an kafalamuuf irraa gibira hojii muramee galii ta'uu isaatiif ragaan akka kennamuuf iyyaannoo gaafa guyyaa 20/11/2016 barreeffatan nu gaafatniiru.

Haluma kanaan minda ji'aan argatan irraa gibira mootummaa muramuun galii godhuu isaa ragaa kana kan kennineef ta'uu kabajaan isiniif ibsina.

Nagaa Wajjiin!



Huseen Gosoma Fendelee
ዐብነት ገብረ ፈጽረኛ
Husein Gosoma Fendelee
Hoji Gaggeessaa Waajjira Galiiwwan
Damee Aanaa Nansaboo
የሃሳብ ወረዳ ገቢዎች ቅርንጫፍ
ጽ/ቤት ሥራ ሕክምና



ከኦሮሚያ ብሔራዊ ክልላዊ መንግስት
OROMIA NATIONAL REGIONAL GOVERNMENT
ጤና ጥበቃ ቢሮ
HEALTH BUREAU

BEFO/AHITQFFWO/13097
 ቀን 22/10/2013
 የምዝገባ ቁጥር (Reg.No) JD=69, 596/2013

RPL= 745

የሙያ ምዝገባና የሥራ ፈቃድ ምስክር ወረቀት

የኢትዮጵያ ፌዴራላዊ ዲሞክራሲያዊ ሪፐብሊክ መንግስት የአስፈጻሚ አካላት ስልጣንና ተግባር ለመወሰን በወጣው አዋጅ ቁጥር 661/2002 አንቀጽ 3/3 ለክልል ጤና ቢሮ በተሰጠው ስልጣንና ተግባር መሠረት፡-

ዋሪዮ ገመዳ ኑሪ

ተገቢውን የብቃት ደረጃ አሟልተው በጁኒየር ድራጊስት ተመዝገበው ይህን የሙያ ምዝገባና የሥራ ፈቃድ ምስክር ወረቀት ተሰጥቷል፡፡

የኃላፊው ፊርማ

ማስጠንቀቂያ

- የሙያ ምዝገባና የሥራ ፈቃድ ምስክር ወረቀት በየአምስት ዓመቱ መታደስ አለበት፡፡
- ለምን ፈቃድ ከተገበፀው ሰው በስተቀር ሌላ አካል ሊገባለበት አይገባም፡፡
- በየገዢውም ምዝገባና ቢጠፋ ወዲያውኑ የግሳውቅ ግዴታ አለብዎት፡፡

ቀን 22/10/2013

PROFESSIONAL REGISTRATION AND LICENSING CERTIFICATE

The Regional Health Bureau by Virtue of the power vested in it by the definitions of powers and Duties of the Executive Organs of Federal Democratic Republic of Ethiopia proclamation Number 661/2009 Article 3(3);

WARYO GEMEDA NURE


Having Duly Satisfied the requirements hereby registered and license as **JUNIOR DRUGGIST**

Signature of the authorized Personnel

Date (Gregorian 22/06/2021)

N.B

- This certificate shall be renewed every five years.
- Is unlawful if it is found being used by another person.
- The holder is required to notify as soon as the certificate is lost



Paradise Valley College

Tel: +251-461-100-062, Fax: +251-461-100-061, P.O.Box: 499, Shashemene, Ethiopia
Website: www.paradisevalleygroups.com, Email: info@paradisevalleygroups.com

Lakk. 522879

ID No. 522879

Ragaa Xumura Leenjii

Training Completion Certificate

Leenjii naan/naun WARIYO GEMEDA NURE Ogumma
Pharmacy Technology Services tiin leenjii Sadarkaa IV kan
geesiusu dandu Onkololeessa 2010 hanga Waxabajjii
2012tti Sagantaa Guyyaa hordofee Xummeeraati.

Trainee WARIYO GEMEDA NURE has attended Regular
training program in the occupational area of Pharmacy
Technology Services from October 2010 up to June 2012 E.C
which can qualify him/her to Level IV.

Hooqanama Dhaabbatiichaa

Institution's Director

Magaa

Mallattoo

Naame

Signature


Abdisa Tibeso Edao
Academic Vice Dean

Abdisa Tibeso Edao
Academic Vice Dean

Hubachiisa:-

Ragaan kun xiimura leenjii kan agarsiisu malee
mirkanneessaa gahumsaatiif kan tajaajiluun miti.
Gahumsa sadarkaa leenjiiitiin kan mirkanaa'uu
danda'u madaallii wiirtuu mirkanneessa
gahumsaatiin qofa ta'a.

Note:- This certificate indicates completion of training.
Competency certificate can only be acquired through
passing COC occupational Assessment.



Labsii Dhimma Hojjataa fi Hojjachisaa lakk 1156/11

Akkaata kewwata 46 tiin irraatti tumame

Waliigattee kun Dukkane Durrichaa Gadaa ammaa
irra eegalee hojjachiisa /qacaraa/ jedhamee waamamuun fi hojjataa /qacarama
Waarayoo Gammada jedhamee waamamu giddutti waliigaltee hojii
guyyaa 02/01/2017 mallatta"e dha.

1. Teesso dhabbataa hojjachiisa

- 1:1 Aanaa /magaalaa Shaa-shamannee
1:2 Ganda 01 lakk mana _____
1:3 lakk.Bilbilaa 0936428303
1:4 Lakk.Waaqaa Eenyummeessaa 225/2016
1:5 lakk galmeessaeeyyamadalalaa _____

2. Teesso dhaabbataa hojjataa

- 2:1 Aanaa /magaala Namsaboo
2:2 Ganda Warga 63 lakk mana _____
3:3 lakk bilbilaa 0910565943
3:4 lakk waraqaa eenyummaa 284/2016

3. Kaayyoo waliigaltichaa

- 3:1 Mirgaa fi dirqama hojjataa fi hojjachiisa gidduttii jiru biffaa ifa fi wal-hin
shakkisfne ta'ee akka taa'uu gochuuf.
3:2 Hojjetaan mirgaa fi dirqaama isaa sirritti akka beekuuf gochuuf oomishaa
fi omishitummaa akkaguddusuf fi haala mijaata ummudhaaf.

4. Gosa hojii fi haala kafaltti

- 4:1 Gosa Hojii Dukkane Durrichaa Gadaa
4:2 Iddo hojii Dorra
4:3 Hanga minda qarshidhan 2000 (Kuma torba)
4:4 Yeroo kafaltii ji'aan ☒ guyyaa 15n _____ guyyaa guyyaan _____
4:4.1 Kanfalttiin ayyaana ummataa guyyaa boqqonaa irraa yoo oolee
dursamee kanfalamu qaba

5. Sa'atii hojii seensa fi bahiinsa


Sa'atiin hojii dhaabbatichaa sa'aa 8:00 ta'e, sa'atiin hojii torbaanii sa'aa **48:00** caaluu
hin qabu.

5.1. Wixataa hanga jimaata ganama sa'aa 2:30 hanga 6:30 waaree bodee sa'aa 7:30
hanga 11:00 sanbata xiqqaa ganama sa'aa 2:30 hanga 6:30 waaree boda 7:30 hanga
11:00

6.2 .Hojii saa'a idileetiin alatti hojjatame akkka sa'aa hojii dabalataa
hojjatamettilakkayamee akkaata labsii lakk 1156/11 kewwataa 68 tiin shallagamee
kafalamaa.

7. Boqqonnaa torbaan guyyaa Dilbatata'a. Walitti aansee sa'aa 24 hanqachuu hin
qabu.

8. Boqqonnaa waggaa ,eeyyamni dhibee, eeyyamni gaddaa fi cidhaa ,eeyyama
da'umsaa fi kkf akkaata waliigaltee fi labsii kan taasifame ta'a.



9. Dirqama Hojjataa

- Hojiileen labsii 1156/11 keewwata 13 jalatti kan tareefaman fi haala amala hojii dhaabbatichaatiin hojii walfakaata jedhamani kan filataman akkaata danbii dhabatichaatiin kan ilaalamu ta'a.

10. Dirqama Hochachiisa

- Seerrii keew.12 jalatti tarreeffaman akkuma jirutti ta'ee hojiileen haala hojii dhaabbatichaatiin walitti dhufeenya qaban jedhaman filamanii akka hojii dabalataa dhaabbatichaati lakayama.

11. Tarkaanfii Naamusaa

- Hojjataan waliigaltee kana ykn dambii hojii dhaabbatichaa ykn waliigaltee gamtaa keessatti caqafame otoo hin guutin yoo hafe akkatuma ulfaatina badiitiin fi akkatuma dambii dhaabbatichaatin mirgi tarkaanfii fudhachuu kan eeyyamamuuf ta'a.

12. Yeroo turtii waligaltichaa

12.1 waliigallteen kun 22/01/2018 hangaa 02/02/2018 tti mallataa'e tura.

12.2 waliigalteen hojii kun hanga dhumutti ni tura.

13. Dirqama Addaa

Ani Waarayoo Gammada yeroo armaan olitti tuqame irraa eegalee gasa hojii Orgess-Gurs-Dirichan tiin Dhaabbata Durbaane Dirichan Gadda kan qacarama yoo ta'u akkaataa sa'aatii dhaabbatichaatti dirqamoota hojjachiisaa waliin hojii irratti waliigaleen sa'aatii hojii walfakkaataa dhaabbatichaa akka isaa walfakkaatu ykn hojii biro irratti akka hin argamne ykn hin qacaramne fi yommuu hojjadhee argame seeraan kan gaafatamu ta'uukoo waliigalee jira.

- Ani Urgeessa Raastan abbaa dhaabbatichaa yoo ta'e ykn I/Gaafatamaa hojii yoo ta'u hojjataa armaan olitti maqaan isaa tuqame dhaabbatichatti yeroo qacaramu hojii osoo hin eegalin dura gadi lakkisa seeraa fiduu isaa erga mirkaneeffadhee boda kan qacare ta'uufi hojjataafis haala hojii mijataa akka uumamu kan godhu ta'uu waliigalee jira.

Hub:-Haalonni waliigaltee kana keessatti hin tuqamin hundi akkaataa labsii 1156/11tiin kan raawwatmu ta'a.

- ✓ Waliigaltee hojii kana keessatti koppiin tokko hojjachiisaaf, koppiin tokko harka hojjataa kan galuu fi barbaachisaa ta'ee yoo argame qaama sadaffaa dhimmi ilaaaluuf kennuu ni danda'a.
- ✓ Qaamni kamiyyuu waliigaltee kana diiguu yoo barbaade akkaataa labsii 1156/11tiin dursee akeekkachiisa kennuu qaba.
- ✓ Too'attoonni haala hojii waajjira Dhimma Hojjataafi Hawaasummaa fi siivil sarvisii yeroo kamuu haala hojii hordofuufi iddoohojiitti argamuun akkaata labsii 1156/11tiin kennameefiin hojii seera kabajisiisuuf kennameef jira. Kanaafuu hojjataan kamiyyuu iddoo hojiitti argamuun hojjachiisaanis odeeffannoo sirrii too'attootaaf kennuu dirqama qaba.



- ## Waliigaltee Kennaa

Maqaa

Maqaa

Mallattoo

Maqaa

1.

2.

3.

Mallattoo

Waliigaltee Kan Mirkaneesse

1Maqaa.

2. Gahee Hojii

3. Mallattoo

4. Guyyaa

