



Mootummaa Naannoo Oromiyaatti Biiroo Fayyaa
በኢሮጣያ ክልላዊ መንግስት ጤና ቢሮ

Hayyama gahumsaa
የብቃት ማረጋገጫ ምስክር ወረቀት

ቁጥር/Lakkoofsa 28581
ቀን/Guyyaa 28-2-17

Odeeffannoo Dhaabbatichaa/የተቋም መረጃ

Maqaa Dhaabbatichaa/ ስም	Lakole Drug Store	Gosa Dhaabbatichaa /የተቋም ዓይነት	Drug Store
Naannoo/ክልል	Oromia Region	Godina /ክፍለ አካል / ዞን	West Shewa Zone
Magaalaa /ከተማ	Chobi	Aanaa/ወረዳ	Chobi
Ganda/ቀበሌ	01	Lakkoofsa Manaa/ የቤት ቁጥር	New
Lakkoofsa Bilbilaa/የስልክ ቁጥር	+251-914462544		


Oddeeffannoo abbaa Qabeenyummaa/የባለቤትነት መረጃ

Abbaa Qabeenyummaa/ባለቤትነት	Private	Maqaa abba Qabeenyummaa /የባለቤት ሙሉ ስም	Bekele Chala
---------------------------	---------	---	--------------

Odeeffannoo Ogeessa Teeknikaa/የቴክኒካዊ መሪ መረጃ

Lakkoofsa Galmee Ogummaa/የምዝገባ ቁጥር	JD=64570/2013 RPL=730	Maqaa /የቴክኒካ መሪ ስም	
Tolosa Alemayehu Gadisa			
Gosa Ogummaa	Junior Druggist		

ከመጨረሻው በፊት ለመረጃው የምዝገባ መደብረት እና የጤና ክብካቤ አገልግሎት ቁጥር ባለስልጣን ማቋቋሚያ አዋጅ 661/2002 መሠረት ለጤና ተቋማት ይሰጣል፡፡



Mallattoo Abba taayitaa/የጋራ ፈርማ

haaraycomera/ታደሳለ **Tikemet-29-2017 E.C. 11/08/2024 G.C.**

haarayomera/ታደሳለ **E.C. G.C.**

Lakk Kaarniitii/የደረሰኝ ቁጥር

Lakk Kaarniitii/የደረሰኝ ቁጥር

Mallattoo/ፈርማ

Mallattoo/ፈርማ

Hubachiisa

1. Hayyamichi barri bajataa galee hanga dhuma Qaammeetti yoo haaromfamu baate akka haqametti lakkaa'ama.
2. Hayyamichi dhaabbaticha keessa fuuldura bakka mul'atu taa'uu qaba.
3. qaama too'atu osoo hin beeksisin dhaabbaticha iddoo tokkoo iddoo biraatti jijjiiruun dhorkaadha

ማስጠንቀቂያ

1. ፍቃዱ የበጀት ዓመቱ ከገባ በኋላ እስከ ጳጉሜ መጨረሻ ያልታደሰ እንደተሰረዘ ይቆጠራል፡፡
2. ፍቃዱ በድርጅቱ ውስጥ ፊትላፊት በሚታይ ቦታ መቀመጥ አለበት፡፡
3. ለተቆጣጣሪ እካሉ ሳያሳውቁ ድርጅቱን ወደ ሌላ ቦታ ማዘዋወር አይቻልም፡፡



BIIROO FAYYAA OROMIYAA
ክርክር ህክምና ወጪ
OROMIA HEALTH BUREAU

Guyyaa ተገ 29-2-17
Date
Lakk ቁጥር 23558
Ref.no

Waajjira Fayyaa Godina Shawaa Lixaatiif

Amboo

Dhimmi:- **Haayyama Dukkaana Qorichaa Lakkoolee jedhamu haaraa kenname ilaala**
Akkuma mata duree irratti ibsuuf yaalametti **Obbo Baqqalaa Caalaa** abbaa qabeenyaa fi **Obbo Tolosaa Alamaayyoo Gaaddisaa** ogeessa ta'uudhaan Godina keessan **Aanaa Cobii** magaalaa **Cobii Ganda 01** lakk. manaa haaraa keessatti **Haayyama Dukkanaa Qorichaa Lakkoolee jedhamu** bafatanii hojjechuu kan isaan dandeessisu Unka inspekshinii xalayyaa lakk:WFG/834/01 gaafa guyyaa 27/02/2017 tiin nu gaafatanii jirtu.

Haaluma kanaan Haayyamni gahumsa dukaana Qorichaa kun Maqaa **Ogeessa Obbo Tolosaa Alamaayyoo Gaaddisaa tiin** waan isaaniif kennameef, waajjirri keessanis kanuma beekuudhaan Ogeessii fi Dhabbatni dukaanni Qorichaa kun Qajeelfamaa fi seeraa jiruun hojjechaa jiraachuu hubachuun to'annoo fi hordoffii gaggeessuun raawwii isaa ji'a sadi sadiin gabaassa akka nuuf gootan isin beeksifna.

Nagaa Wajjin

G/G

- Waajjira Daldaalaa fi Misooma Gabayaa Godina Shawaa Lixaatiif

Amboo

Shallama Dilgaasaa (BSC)
Qindeessaa Garoo Galmee
Ogummaa fi Haayyamaa



Lakk 111/K/834/01
Guyyaa 27/2/2017

Biuroo Eegumsa Fayyaa Oromiyaa
Waajjira Eegumsa fayyaa
Godina Shawaa Lixaa
QAC, 01, 11/01/17

Biuroo Fayyaa Oromiyaa tiif
Finfinnee

Dhimmi:- Firii Inspeekshiinii Dukkaana Qorichaa Haraa Isin Beeksisuu Ilaala

Obbo Baqalaa Caalaa abbaa qabeenyaa fi maqaa ogeessa Obbo Tolosaa Alamaayyoo Gaaddisaa ta'udhaan Godina keenya Aanaa: Cobii Magaalaa: Cobii Ganda: 01 keessatti Dukkaana Qorichaa banatanii hojjechuu akka barbaadanii fi hayyamni kennamuun dura inispeekshiniin akka gaggeeffamu xalayaa Lakk BEFO/AHITQTFFWO 23,460 Guyyaa 28/1/2017 barreeffameen nu beeksiftanii jirtu.

Haaluma kanaan hayyama kana kennuun dura inspeekshiniin akka gaggessan Waajjira Fayyaa Aanaa Cobii gaafannee isaaniis xalayaa lakk W/E/F/A/C / guyyaa 28/02/2017 barreeffameen firii inspeekshinii nuuf ergan fuula Torba(7) xalayaa kana miiltoo goonee ergu keenyaa ni ibsina.

“Nagaa Wajjin

Tadesse Amante

Gaggeessaa Adeemsa Hojii
Ta'annoo Qulqullina Fayyaa fi
Fayyaan Walqabatan fi
Oomishootaa



G.G

Adeem.Hoj.Tajaajila qulqullina Fayyaa fi Oomishoota keenyaa tiif

Amboo

Pre-licensing Inspection Checklist for Medicine Retail Outlet (Pharmacy & Drug Shop)



Title:	Name of the Region/Zone/Woreda/Agency <u>West Shoa Zone</u>	FORM No.: 001
	Pre-licensing Inspection Checklist	SOP No.
		Revision No:

Instruction: This checklist is designed to assess the compliance rate of community pharmacies, focusing on premises, personnel, and products (equipment and materials). Complete all sections of the checklist (Yes, No, NA).

5. General Information

5.1. Level of community pharmacy a. Pharmacy (Yes, No) <u>b</u> Drug shop (Yes, No)	5.6. Address a. Region: <u>Oromia</u> b. Zone: <u>West Shoa</u> c. Woreda: <u>Cherbi</u>	Date of Inspection (dd/mm/yy) <u>28/02/2017</u>
5.2. Name of pharmacy/drug shop <u>Drug</u>	d. House No:	
5.3. Name of Technical Manager <u>Tolosa Alemu</u>	e. Phone No: <u>0914462544</u>	
5.4. Professional Level of Technical Manager <u>IV Durbli</u>	f. Specific location: <u>Shawa barri</u>	
5.5. Name of Owner (s) <u>Bahalea Corlela</u>		


SN	Requirements	Compliance		
		Yes	No	NA
6.	Professionals			
6.1.	The technical manager and other technical personnel have valid and renewed professional licenses.	✓		
6.2.	For pharmacy, the technical manager has a minimum of three years of work experience as a pharmacist with a bachelor's or advanced degree in pharmaceutical sciences, or as a druggist or level IV pharmacy technician with an additional one year as a pharmacist.	✓		
6.3.	For drug shop, the technical manager has a druggist or level IV pharmacy technician with a minimum of three years of work experience, or a pharmacist with a minimum of one year of work experience as a pharmacist.	✓		
6.4.	The community pharmacy (pharmacy or drug shop) has at least one additional licensed pharmacist, druggist, or level IV pharmacy technician.	Yes	NO	
6.5.	The professionals have no known history of legal or unethical practices.	Yes		
7.	Premises			
7.1.	Design, Layout and Location			
7.1.1.	The pharmacy or drug shop is self-contained and secured with a single point of entry and exit.	✓		
7.1.2.	The pharmacy or drug shop is located a minimum of 100 meters away from other community pharmacies or health facilities.	✓		
7.1.3.	Construction of the premises prevents direct sunlight, dust, moisture,	✓		




SN	Requirements	Compliance		
		Yes	No	NA
	entry of insects, animals (especially rodents) or birds, and flooding.			
7.1.4.	The walls are constructed and maintained from concrete or bricks and painted with washable paint. Internal partitions, if necessary, are made of aluminum board or bricks.	✓		
7.1.5.	The pharmacy displays a clear signboard bearing its name and working hours.	✓		
7.1.6.	The entrance, dispensing counter, and doorways are accessible to people with disabilities.	✓		
7.1.7.	The pharmacy or drug shop has dedicated premises including: - Store room ✓ - Dispensing room ✓ - Compounding room for pharmacy only (optional) - Counselling room - Drug information service shared with counselling room - Drug information Center (optional) - Administrative office and changing room or area - Toilet with water - Waiting area	✓		
7.1.8.	The dedicated rooms and areas are labelled.	✓		
7.1.9.	The pharmacy or drug shop has adequate lighting and ventilation with the required illumination and light intensity (check lighting lamps, e.g., LED or fluorescents as an option).	✓		
7.1.10.	Floors, ceilings, and walls are smooth and washable; without dust, free of cracks and holes, discoloration, leakage/water stains, or other signs of disrepair.	✓		
7.2.	Environment, Security, and Safety			
7.2.1.	The pharmacy or drug shop is located 100 meters away from any facilities that adversely affect the quality of medicines.	✓		
7.2.2.	Electrical outlets are safe and properly maintained.	✓		
7.2.3.	The premises are lockable and not accessible to unauthorized entry.	✓		
7.2.4.	A functional fire extinguisher is available.	✓		
7.2.5.	First-aid materials are available.	✓		
7.3.	Storage room			
7.3.1.	Storage room is at least 12 square meters in size for pharmacy, and 9 square meters for drug shop (measure the area in square meters, length, and width in meters). (Actual measurement <u>3</u> x <u>6</u> = <u>18</u>)			
7.3.2.	Ceiling height is not less than 2.6 meters. In areas with consistently elevated temperatures, minimum ceiling height is 3 meters.	✓		
7.3.3.	Storage room is well ventilated, dry, and protected from direct sunlight and heat.	✓		
7.3.4.	Storage room is self-contained and secure with a lockable door.	✓		
7.3.5.	Walls are smooth and washable; not constructed from wood, corrugated sheet, or other flammable materials.	✓		
SN	Requirements	Compliance		

		Yes	NO	NA
7.3.6.	Floor is smooth and easily washable; constructed from cement, ceramic, epoxy, or other related materials.	✓		
7.3.7.	Ceiling is smooth, washable, and heat resistant.			
7.3.8.	Storage room has sufficient shelving constructed from a smooth, washable, and impermeable material.	✓		
7.3.9.	Shelves are available a minimum of 20 cm above the floor, one meter wide between shelves, and 25 cm away from the wall and 50 cm from the ceiling. If pallets are used, they are 20 cm above the floor, one meter between pallets, and 25 cm away from the wall (also check for their adequacy in number).	✓		
7.4.	Dispensing room			
7.4.1.	Minimum area of the dispensing room is 25 square meters for both pharmacy and 22 square meters for drug shop, with a minimum side measurement of 4 meters. (Actual measurement $44 \times 6 = 264$)	✓		
7.4.2.	Minimum ceiling height is 2.6 meters. In areas with consistently elevated temperatures, minimum ceiling height is 3 meters.	✓		
7.4.3.	Dispensing counter is at least 1.5 meters away from the back shelf and 2.5 meters away from the patient gate (check the distance with a calibrated meter).	✓		
7.4.4.	Dispensing counter is at least 0.60 meters wide, 1.10 meters high, and 1 meter long per dispenser, with a total length of not less than 3.5 meters for pharmacy (3 meters for drug shop).	✓		
7.4.5.	Availability of waiting area with seating options (number of seats depends on the number of patients).	✓		
7.4.6.	Size of dispensary and storage is adequate, allowing easy movement and workflow.	✓		
7.4.7.	Shelves in the dispensing room are a minimum of 20 cm above the floor, one meter wide between shelves, 25 cm away from the wall, and 50 cm from the ceiling. If pallets are used, they are 20 cm above the floor, one meter between pallets, and 25 cm away from the wall.	✓		
7.4.8.	Access restricted to authorized personnel in the actual dispensing area.	✓		
7.4.9.	Calibrated thermohydrometers are properly located at appropriate locations.			
7.4.10.	Walls are clean, smooth, and washable; without dust, holes, or cracks, and made of a material that allows for easy cleaning.	✓		
7.4.11.	Roof is in good condition to avoid leakages; no holes or signs that water is running through (check if the ceiling is made of cardboard or cement).	✓		
7.4.12.	Dispensary is well illuminated and ventilated, with the required illumination and light intensity (check lighting lamps, e.g., LED and fluorescents as an option).	✓		
7.5.	Compounding room for pharmacy only (if available)			
7.5.1.	Compounding room is at least 9 square meters, with a minimum side measurement of 2.5 meters. (Actual measurement $___ \times ___ = ______$)		NO	
7.5.2.	Compounding bench is at least 0.75 meters wide, with a total length of not less than 2 meters, and not less than 1.5 meters away from the gate.		✓	
7.5.3.	Compounding bench is made of stainless steel, marble, or similar acceptable material, which is washable, impermeable, chemical-resistant, and waterproof.		✓	
SN	Requirement	Compliance		
		Yes	No	NA


7.5.4.	Compounding bench top is not made of wood, cement, corrugated sheet, or plastic materials.		✓	
7.5.5.	Compounding room is designed to avoid contamination and cross- contamination.		✓	
7.5.6.	Walls of the compounding room are finished with a smooth, washable, and impermeable material, which is easy to clean and maintain in a hygienic condition.		✓	
7.5.7.	Compounding room is neat, ventilated, and appropriate for compounding activities.		✓	
7.5.8.	There is a storage cabinet or shelf for labelling and raw materials.		✓	
7.5.9.	There is a suitable and clean wash basin made of a smooth, washable, and impermeable material, with a source of tap water and a closed drainage system.		✓	
7.6.	Counselling room			
7.6.1.	Area of counseling room is at least 4 square meters, with a minimum side of 1.5 meters, and equipped with chairs and a table. (Actual measurement $2 \times 2 = 4$)	✓		
7.6.2.	Counseling room is designed to maintain confidential conversation between pharmacy professionals and clients.	✓		
7.6.3.	Counseling room is easily accessible and, where possible, close to the dispensary.	✓		
7.7.	Drug information center only for pharmacy (optional)			
7.7.1.	Well-equipped drug information center with a minimum area of 12 square meters and minimum side length of 3 meters.	✓		
7.7.2.	Additional office room for the staff of the drug information center.	✓		
7.8.	Toilet with water			
7.8.1.	There is a toilet room for the community pharmacy, which may be shared with other facilities if it is in a multipurpose building.	✓		
7.8.2.	Toilet room has readily available potable water with a hand wash basin, soap, and a closed drainage system.	✓		
7.8.3.	Toilet facilities are kept clean and in good order.	✓		
7.8.4.	Toilet has no direct access to dispensing and storage rooms.	✓		
7.8.5.	Toilet is clearly designated and labelled with arrows or images.	✓		




SN	Requirements	Compliance		
		Yes	No	NA
7.9.	Products (Equipment and materials)			
7.9.1.	Availability of continuous power supply.			
7.9.2.	Dispensing and storage equipment and materials include:			
	a. Counting devices for tablets and capsules			
	b. Tablet cutter.	✓		
	c. Stainless steel spoon			
	d. A refrigerator equipped with a maximum and minimum thermometer. Pharmaceutical grade refrigerators should be recommended.			
	e. Secure fixed metal cabinet or shelf with lock and key for narcotic drugs and psychotropic substances.			
	f. Wall thermometer and hygrometer or thermohydrometer for both storage and dispensing room.			
	g. Ventilator or air conditioner as appropriate.			
	h. Fire extinguisher.	✓		
	i. First aid kit			
	j. Scientific calculator and scissor			
	k. Fixed telephone or mobile phone			
	l. Computer (s)			
	m. Shelves and pallets			
	n. chairs for waiting area			
	o. Reference materials (soft or hard copy latest version), including Martindale, Pharmacology textbooks, Medical dictionary, relevant proclamation, Community pharmacy medicine lists, National standard treatment guideline, National medicine formulary, National good dispensing manuals.			




SN	Requirements	Compliance		
		Yes	NO	NA
7.9.3.	The compounding room is equipped with the following: a. Working bench with upper part made of marble or stainless steel b. Dispensing balance (Analytical balance), c. Mortar and pestle (glass or porcelain) not less than 250ml d. Stainless steel hot water bath (electrical) with four or more openings e. Hot plate (electrical) f. Shaker or stirring rods (glass or plastic) of different length and thickness g. Spatula (stainless steel, plastic, flexible or non-flexible) h. Ointment tile or slab i. Wash bottle j. Funnel (glass or polyethylene) k. Beaker (different sizes) l. Test tubes of different sizes m. Graduated cylinders (different volumes) n. Weighing paper (normal, grease-proof for semi solids) o. Weighing dishes (plastic, aluminum, stainless steel) p. Evaporating dish q. Volumetric flask r. PH meter s. Alcoholometry t. Thermometers u. Purified water v. Disposable gloves and masks w. Labelling and packing materials x. Electrical light or lamp		✓	
7.9.4.	The drug information center (if established) has the following: h. Furniture (shelves, tables, and chairs). i. Telephone line j. Internet access k. Computer and software l. Printers and duplication machine m. Drug databases Reference materials (primary, secondary, and tertiary sources).	✓		



Summary of observations	It is a good and standardized I have 8 equipments. We have a good idea of it. Given to him.			
Consent of owner or technical manager	I confirm that to the best of my knowledge, the information/data provided in this checklist is true and correct. Name of Technical Manager/Owner <u>Bekele Chala</u> Signature <u>[Signature]</u> Date <u>28/02/2017</u> stamp _____			
Recommendation of inspectors	We confirm that the community pharmacy named above was inspected on [dd/mm/yyyy] <u>28/02/017</u> and it was [complied / not complied] with all the stated requirements. Hence, we [recommend / do not recommend] issuing the certificate of competence.			
Name and signature of Inspectors	SN	Name	Date	Signature
	1.	<u>Balaxxa Caaloo</u>	<u>28-2-2017</u>	<u>[Signature]</u>
	2.	<u>Toalefaa Naggaya</u>	<u>28-2-2017</u>	<u>[Signature]</u>
	3.			
Decision of officials	Based on the recommendations of inspectors, I confirm that the certificate of competence can be [issued / not issued] to the named community pharmacy. Name <u>Balaxxa Caaloo</u> Date <u>28/02/07</u> Signature with stamp <u>[Signature]</u>			




2



Guyyaa 20/2/2017

Unka (Foormii) Inispeekshina Manneen Daldala Qanxaba Qorichaa Haarayaa
Inspektarootaan guutaman

1. Maqaa Dhaabata daldala: Dikoonaa Boleessa Lalevoolee
2. Teessoo dhaabatichaa
 - a. Naannoo: Oromiyaa, Godina: Shawaa Lixaa Aanaa: Cobii
Magaala: Cobii Ganda: 02 Lakk.manaa: —
Lakk.poostaa: — Lakk. Bilbilaa: —
3. Maqaa abbaa abba qabeenyaa akaakayuu wajjin: Baffalee Caalee Dimbilaa
4. Gosa Dhaabata Fayyaa naannoo sana jiru: Burtata Fawise
5. Maqaa ogeessaa akka akayuu wajjin: Tolalaa Alamuraa Waddisee
6. Sadarkaa ogummaa ogesichaa: 11 Duullu
7. Sadarkaa dhaabata qanxabaa: Boleessa
8. Dhaabatni kun
 - 8.1 Tajaajila Bishaanii qaba / hinqabu
 - 8.2 Tajaajila Electirikaa Ibsaa: qaba / hinqabu
 - 8.3 Tajaajila Bilbilaa: qaba / hinqabu
 - 8.4 Tajaajila Poostaa: qaba / hinqabu
9. Akkaataa hojjatama Dhaabatichaa
 - 9.1 Lafti kutaalee Laashoo
 - 9.2 Ededni kutaalee Chaalee Boleessa
 - 9.3 Qileensaa fi ifa gahaa: qaba / hinqabu
 - 9.4 Gonbisaan kutaalee koorniisa: qaba / hinqabu
 - 9.5 Dhaabatichi lafa irraa ol ka'adhaa fi lolaa kan hin galchuu? Yes/No
10. Dhaabani qanxaba qorichaa kun
 - 10.1 Iddoon itti dhaabatu Baddaa, Badda daree Gammoo
 - 10.2 Olka'iinsi kutaalee dhaabatichaa meetiraan: 3 m
 - 10.3 Bal'ina kutaa Rabsaa Qorichaa karee meetiraan 4.4 X 6 = 26.4 m²
 - 10.4 Bal'ina kutaa Kuusaa Qorichaa karee meetiraan 3 X 6 = 18 m²
 - 10.5 Bal'ina kutaa Qophii Qorichaa (Gammoo) meetiraan: 6



- 10.6 Firijja Teermoometira wajjin qaba / hinqabu
- 10.7 Teermoometira ededaa qaba / hinqabu
- 10.8 Ittisa balaa ibidaa qaba / hinqabu
- 10.9 Teessoo haarabaafannoo dhukubsataa qaba / hinqabu
- 10.10 Teessoo fi minjaala hojii barreesituuf gargaaru qaba / hinqabu
- 10.11 Iddoo hucuu itti fanifatan qaba / hinqabu
- 10.12 Kaabineetii Qorichoota Naarkootikii fi Saayikootropikii cuftuu wajjin qaba / hinqabu
- 10.13 Mana fincaanii tajaajila bishaanii wajjin qaba / hinqabu
11. Akaataa keessa dhaabatichaa
- 11.1 Lafti isaa jabduu fi siriidha? Eeyyee/Miti
- 11.2 Manni lubu qabeeyyii adda addaa irraa eegamaadha? Eeyyee/Miti
- 11.3 Balballi hundinuu akka gaaritti ni cufamu? Eeyyee/Miti
12. Wanti hin ibsamin yoo jiraate haa ibsamu

13. Yaada Inspektarootaa

Thermometer edede fi ittisa balaa ibidaa
waan hinqabneef bitanii hinif kan agarsiisu
yo fe'e hoggama haa keeneemutti

Maqaa Inspektarootaa	Ogummaa	Mallattoo	Guyyaa
1. Baayyaa Cease	Bie	pe	18/02/2017
2. Jaalataa Koffee		g	u
3. Boffataa Koffee		g	u

14. Yaada Gagessaa Adeemsaa hojii TQFFWO Goodinaa Bulchiinsa Magaalaa

haaluma yaade inspektaroota hoggamoota
yo keeneemutti kan deegamu fider
keeneemutti hoggamoota

Maqaa guutuu





BIIROO FAYYAA OROMIYAA
የዕምሩ ጤና ቢሮ
OROMIA HEALTH BUREAU

Guyyaa ቀን 28-1-17
Date
Lakk ቁጥር 23460
Ref.no

Waajjira Fayyaa Godina Shawaa Lixaatiif

Amboo

Dhimmi:- **Waa'ee Dukkaana Qoricha inspekshiniif ergame ilaala**

Akkuma mata duree irratti ibsuuf yaalametti **Obbo Baqqalaa Caalaa** abbaa qabeenyaa fi **Tolosaa Alamaayyoo Gaaddisaa** Ogeessa ta'uudhaan Godina keessan Aanaa **Cobbii** magaalaa **Cobbii** ganda 01 lakk. manaa haaraa keessatti Hayyama gahumsa dukaana Qorichaa haaraa baafatanii hojjechuu akka barbaadana xalayyaa gaafa guyyaa 28/01/2017 tiin nu gaafatanii jiru.

Haaluma kanaan Hayyamni gahumsa Manni Qorichaa kun Maqaa Ogeessa **Tolosaa Alamaayyoo Gaaddisaa** tiin kennamuun dura manaa fi meeshaalee barbaachisan qopheeffachuu isaanii ilaalamee unki inspekshinii guutamee akka nuuf ergamu isin beeksifna.

Nagaa Wajjin

Shallama Dilgaasaa (BSC)
Qindeessaa Gamaa Galmee
Ogummaa fi Hayyamaa

Hubachiisa:-

1. Bakka dukkanni Qorichaa itti gaafatame ykn itti banamu kun Kilinika ykn Buufata Fayyaa ykn Hospitaala irraa meetira 100 fi isaa ol fagaachuu qaba.
2. Dukkanni Qoricha kun ulaagaa hin guunne yoo ta'e Unka inspekshinii guttanni akka hin ergine isin hubachiifana.



6955



befokom2008@gmail.com
info@orhb.gov.et



www.orhb.gov.et



Oromia health bureau



t.me/ORHBCommunication



Saarbet (Calcalii) Finfinnee



Oromia Health Bureau Directorate of Health and
Health Related Services and Products Quality
Control and Regulation

FORM-SOP/DHHRSPR-PROC006-001

Licensing request application form

Name of the Community Pharmacy	<i>Lakole Drug Shop</i>		
Address	City	<i>Chobi</i>	
	Kebele	<i>01</i>	
	Facility Phone Number	<i>0914462544</i>	
	Technical Manager Phone Number	<i>0938418049</i>	
	E-Mail Address of the facility		
	Physical Address:	<i>Islest Shewa, Chobi wereda</i>	
Indicate type of application: please tick or check a box.			
New	☒	Renewal	
Change of ownership		Change of professionals	
Change of location		Replacement of certificate of competence	
A. For NEW application, please make sure that below requirements are fulfilled (Yes or No)			
Educational evidence of technical manager	<i>Yes</i>		
Employment agreement or contract of technical	<i>Yes</i>		
Working experience letter of the technical manager from the employer that describes his/her resignation,	<i>Yes</i>		
Proof of evidence if he/she had worked as a technical manager and from health regulatory bodies,	<i>Yes</i>		
Professional license of the technical and storekeeper, Passport size photo of the technical manager, House rent contract or carta, or lease hold title certificate authenticated by Document Authentication and Registration Agency Trade bureau or any concerned Government office,	<i>Yes</i>		
For partially completed building, provide authorization for use of the building for service from the responsible body.	<i>No</i>		
Recent two passport size photos (not more than six months)	<i>Yes</i>		
Payment of service fee	<i>Yes</i>		

	Oromia Health Bureau Directorate of Health and Health Related Services and Products Quality Control and Regulation	FORM-SOP/DHHRSPR-PROC006-001
	Licensing request application form	

B. For Renewal application, please make sure that below requirements are fulfilled (Yes or No)	
Confirmation of payment of required service fee	
Upon submission of the internal audit report, if necessary and	
C. For change of certificate of competence replacement, please make sure that below requirements are fulfilled	
For change of physical address	
House rent contract or carta or lease hold title certificate	
authenticated by appropriate government body.	
Payment of service fee	
Previous original certificate of competence	
Recent two passport size photos (not more than six	
months) of technical manager	
description of the premises including pictures or videos of	
both the interior and exterior of the premises, if required	
Self-inspection result	
D. Change of Technical Manager, please make sure that below requirements are fulfilled	
Employment agreement of the new technical manager if the owner is different	
Education credentials	
Current original release and experience letter	
Professional license	
Payment of service fee	
Previous original certificate of competence	
Recent two passport size photos (not more than six	
E. Change of name of establishment, please make sure that below requirements are fulfilled	
Memorandum of establishment	



Oromia Health Bureau Directorate of Health and
Health Related Services and Products Quality
Control and Regulation

FORM-SOP/DHHRSPR-PROC006-001

Licensing request application form

Payment of service fee

Previous original certificate of competence

I certify I have read, understood, and agree to comply with community pharmacy compulsory standard regulating this licensing. I also certify the information herein submitted is true to the best of my knowledge and belief.

Owner Name Bekere Chala

Technical Manager Name

Telosa Alemayehu

Signature [Signature]

Signature [Signature]

Date 28/01/2017

Date 28/01/2017

Guyyaa 28/01/2017

Unka Waadaa Waliigaltee Ogeessi Teeknikaa Biiroo Fayyaa Waliin galu

Ani Dr./Obbo/Adde/Sr. Golasae Alamayyoo Sadarkaa

Dhaabbatichaa Dubtaana Zorichaa Lakkoolee

ogummaa Drugist tiin hojii hojjechuuf hayyama
mirkaneessa ga'umsaa baasee gochoonni seeran alaa 1-5 tti tarreeffaman kun yoo
xiqqate tokko raawwatame taanan

1. Hayyama Mirkaneessa Ga'umsaa Biiroo Fayyaarraa ogeessa Teeknikaa ta'ee baaseen bakka ani hin jirretti beekamtii qaama too'atuutiin ala yoo hojiin qaama sadaffaadhaan ittiin hojjetamaa jirtaate
2. Bakka ani hin jirretti dhaabbanni maqaa kootiin saaqame yakka kamiyyuu yoo raawwate
3. Akka biyyaattis ta'ee akka naannootti maqaa kootin ogeessa teeknikaa ta'ee dhaabbanni gara biraa saaqamee yoo jiraate
4. Hayyama mirkaneeffannaa ga'umsaa maqaa kootin baasee osoon Biiroo Fayyaa Oromiyaatti hin deebisin dhaabbata biraa keessa (mana Mootummaa, Dhaabbata Miti-Mootummaa ykn Dhaabbata Dhuunfaa) qacaramee yoon argame
5. Dhaabbata maqaa kootiin ba'e keessatti meshaalee fi qorichoonni seeraan alaa yoo argamanii fi sadarkaa dhaabbatichaaf hayyameen oli meeshaalee ykn qorichootas yoo qabatee fi shaakala(Practice) yoo godhe
6. Dhaabbannikoo Dhaabbata biraa akka Naannootti fageenyi meetira 100 gadi irratti dhorkaa ta'e irraa meetira 100 gadi yoo ta'e

Tarkaaffii Bulchiinsaas ta'ee **Tarkaaffii Seeraa** narratti fudhatamuuf itti-gaafatamummaa akkan fudhadhu mallattoo kootin nin mirkaneessa. Anis abbaa qabeenyaa dhaabbata kanaa ta'ee dhimmoota seeran alaa dhaabbata kana keessatti raawwatamaniif itti-gaafatammummaa fudhachuukoo mallattoo kootiin nin mirkaneessa.

Maqaa Guutuu ogeessaa

Golasae Alamayyoo Gaddis

Mallattoo 17

Guyyaa 28/1/2017

Maqaa Guutuu abbaa qabeenyaa

Bazzalee Caalaa Durrubo

Mallattoo 21

Guyyaa 28/01/2017

Biiroo Fayyaa Oromiyaattii

Waaaj/ Fayyaa Bul/mag/Amboo



በኦሮሚያ ጤና ቢሮ

የአምቦ ከተማ አስ/ጤና ጽ/ቤት

Lakk; **WFBMA/ 180 /2017**

Guyyaa **06/01/2017**

Biiroo Fayyaa Oromiyaa tiif

Finfinnee

Dhimmi;- **Muuxannoo Hojii kennuu ilaala.**


Akkuma armaan olittii caqasuuf yaalametti **Obbo. Tolasa Alemayehu Gadisa** kan jedhaman **muuxannoon** hojii isaanii akka barreeffamuuf iyyata gaafa guyyaa **06/1/2017** barreeffameen nu gaafataniiru.

Haaluma kanaan Obbo. Tolasa Alemayehu Gadisa **Eebila 01/2013** eegalee hanga **Adoolessa 30/2016**ti Bul/Mag/Ambooti **Mana Qorichaa Malgarin** jedhamu Ogummaa **“Junior Druggist”**tiin qacaramanii hojjechaa kan jirani fi Gibira Mootummaa isaan irraa barbaadamu kanfalu isanii ibsaa, isinis deeggarsa barbaachisaa ta’e gama keessaniin akka taasiftaniif kabajaan isin gaafanna.



“Nagaa Wajjin”

Mulamaa Gontaa Karcarsaa
ጤና ጽ/ቤት
ፊንፊን
ፊንፊን
ፊንፊን



Waajjira Gallaawanti Damee Bulchaa
Magaala Amboo Wajjira Gallaawanti
Kutaa Magaala Hora Amboo
በአምስት ነጥብ ስር ላይ
ቅርንጫፍ ጽ/ቤት የሆኑ ለምሳሌ
ከዚህ በታች ይጻፉ

Lakk 1687/2017

Guyyaa 6/1/2017


Qaama Dhimmi Ilaalu Hundaaf

B/J

Dhimmi:- Waraqaa Deeggarsaa Keennuu ilaala

Akkuma armaan olitti ibsamuuf yaalameetti Addee/Obboo Tolassa Alameyoo kan jeedhaman Hojjeetaa/Hojjeettuu Dhaabbata 192022 Bolechaa MZA 2014 kana keessatti qacaramani hojjecha kan turan gibira mootummaa isaan irraa barbaaddamu kutaa turuu isaaniitiif xalayaa deggarsaa akka barreeffamuuf gaafa guyyaa 6/01/2017 barreessaniin nuu gaafataniiru.

Nutiis kanuma bu'uura godhachuun raga isaanii kan gibira hojii kutan ilaallee gibira hojii mootummaa gaafa guyyaa Feb 22 2013 hanga Adoles 2016 tti waan kanfalaniiif raga kana keennameeraaf, kanaafu isiinis kanuma beektanii deeggarsa barbaachisaa ta'ee yoo gootaniif mormii kan hin qabne ta'uu keenna kabajaan isiin beeksifna.



Garagalcha

➤ Tolassa Alameyoo tiif

B/J

Nagaa Wajjin

[Signature]

Mastaawat Alamaayyoo Warquu
መስተወት አላማህ ወርቁ

Ogeessa Hordoffii Taaksa
የታከሰ ከትላ ሳሎ-የ



ሰላሮማያ ብሔራዊ ክልላዊ መንግስት
OROMIA NATIONAL REGIONAL GOVERNMENT

ጤና ጥበቃ ቢሮ
HEALTH BUREAU

የምዝገባ ቁጥር (Reg.No) JD= 64,570/2013

BEFO/AHITQFFWO/1-9/2013
ቀን 07/07/2013

RPL=730

የሙያ ምዝገባና ሥራ ፈቃድ ምስክር ወረቀት

የአ.ቅ.ድ.ደ. ፌዴራላዊ ዲሞክራሲያዊ ሪፐብሊክ መንግስት የአስፈጻሚ
አካላት ስልጣንና ተግባር ለመወሰን በወጣው አዋጅ ቁጥር 661/2002
አንቀጽ 3/3 ስክልል ጤና ቢሮ በተሰጠው ስልጣንና ተግባር መሠረት:-

ቶላሳ አለማየሁ ጋዲሳ

ተግባራዊ የሰነድ ደረጃ አሟልተው በጃንዩሪ ድረጊስት ተመዝግበው
ይህን የሙያ ምዝገባና የሥራ ፈቃድ ምስክር ወረቀት ተሰጥቷል፡፡

የታላላቅ ፈርማ

ቀን 07/07/2013

TOLASA ALEMAYEHU GADISA

Having Dully Satisfied the requirements hereby registered and licensed
JUNIOR DRUGGIST

Signature of the authorized Personnel

Date (Gregorian) 16/03/2021

N.B

- This certificate shall be renewed every five years.
- Is unlawful if it is found being used by another person.
- The holder is required to notify as soon as the certificate is lost

ማስጠንቀቂያ

- የሙያ ምዝገባና የሥራ ፈቃድ ምስክር ወረቀት በየአምስት ዓመቱ መታደስ አለበት፡፡
- ሰነዱ ፎቶግራፍ ዙጥገለጸው ሰው በስተቀር ሌላ አካል ሊገለገልበት አይገባም፡፡
- በማንኛውም ምክንያት ቢጠፋ ወዲያው የማሳወቅ ግዴታ አለብዎት፡፡




Federal Democratic Republic of Ethiopia
Technical and Vocational Education and Training
(TVET) Agency



National Qualification Certificate

is awarded to



Tolesa Alemayehu Gadisa

for having demonstrated competence against the **Ethiopian**
Occupational Standard for

Pharmacy

Level: IV

Assessment Date: 06/01/2021 Assessment Center: Ambo RVUC
certificate No.: HLT PHS4-OAMB-0122 Issued on: 09/01/2021

Valid until: 09/01/2024

ገጥሙ ነጋሽ
Getachew Negash


Federal TVET Agency Director General

Silashü Qixxaataa Iddoosaa
ሰላሽ ቂጣታ ሰደዳ
Ejensii Mirkaneessa Gahumsa
Ogummaa Oromiyaatti
Hoogganaa Damee -Ambo
ወሮማዊ ድሙፍ ባቃት ማሪ.ገ...
ፆንቢ ዶክተር ሰደገ...

Agency/Center of Competence

Code A:

Control: № 2136931



This National Qualification Certificate is issued by the
Agency in accordance with the
For the purpose of the Certificate
attach to the Certificate
This certificate is valid if the preceding level of



The Oromia National Regional State Labour and Social Affairs Bureau

Lak/Ref□

ቁጥር

Guyyaa/Date□

ቀን

BDHMO/04/19/3

27/01/2017

Biiroo Eegumsa Fayyaa Oromiyaaf

Finfinne

Dhimmi: - Waliigaltee Qaxarrii Hojjetaa fi Hojjechiisaa Mirkaneessuu Ilaalaa.

Dhaabbatni **Dukkaana Qorichaa Lakkoollee** hayyama hojii baafachuuf waliigaltee hojii hojjetaa wajjiin waliigale mirkanaa'ee fi Biiroo Eegumsa Fayyaa Oromiyaaf akka barreeffamuuf iyyannoo guyyaa **27/01/2017** barreeffameen nu gaafatee jira.

Kanaafuu waliigaltee hojii bu'uura Labsii Dhimma Hojjetaa fi Hojjechiisaa **Lak. 1156/2011 keewwata 4 fi 6'tiin** qaamolee lamaan jidduutii kan raawwatame ta'uu ibsaa, waliigaltee qaxarrii fi hayyama ogumma **Obbo Tolasaa Alamaayyoo** Wajjiin taasifame xalayaa kanaatiin walqabsiifnee erguu keenya ibsaa, gama keessaniin deeggarsaa barbaachisu akka gootaniif ni gaafanna.

Nagaa wajjin

Abarraash Abdiisaa

Og/Mar/Haw/Mijaa'ina Iddoo Hojii

G/G

- Dhaabbata Dukkaana Qorichaa Lakkoollee tiif
Sh/Lixaa (Cobii)
- Obbo Tolasaa Alamaayyoo tiif
Sh/Lixaa (Cobii)
- Garee Qunnamtii Industiriif tiif
BDhHHO

Bu'uura Tumaalee Labsii Dhimma Hojjata fi Hojjachisaa

Lak 1156/2011 Keewwata 4-6'tiin Walii Galtee Hojii

Hojjachiisaa Fi Hojjetaa Gidduutti Hundeeffame

1. Waliigalteen hojii kun Dhaabbataa Dukaana Zoricha labsoola jedhamee waamamuu fi hojjataa Obbo/Aadde Isaacs Alamayyoo jedhaman jidduutti waliigaltee hojii guyyaa har'aa _____ hundeeffameedha.

2. Teessoo Dhaabbataa Hojjechiisaa (Qaxaraa)

2.1. Maqaa Dhaabbataa _____

2.2. Naannoo Oromiyaa Godina Sh. Lixaa Aanaa Cobbi
Ganda _____ Lak. Manaa haaraa Lak. bilbilaa 814462544

2.3. L.S.P. _____ Email _____

2.4. Lak. Galmee hayyama daldalaa _____

2.5. Lak. Waraqaa Eenuimmaa 932/2016 Qaama Kenneef _____

3. Qacarama (hojjataa)

3.1. Maqaa Guutuu Hojjetaa Isaacs Alamayyoo

3.2. Sadarkaa Barumsaa BA Gosa Barumsaa level IV

3.3. Naannoo Oromiyaa Godina Sh. Lixaa Aanaa Cobbi
Ganda Cobi Lak. Manaa haaraa Lak. bilbilaa 0938418049

3.4. L.S.P. _____ Email _____

3.5. Lak. Waraqaa Eenyummaa 99056/2016 Qaama Kenneef _____

4. Kaayyoo Waliigaltee kanaa

4.1. Walitti dhufeenya mirgaa fi dirqama hojjataa fi hojjachiisaa gidduu jiru qixa ifa ta'een kaa'uuf;

4.2. Hojjetichi waa'ee mirgaa fi dirqamaa isaa haalaan akka beeku gochuun guddina omishaa fi omishtummaa tiif haala mijaa'aa uumuu;

4.3. Hojiirra oolmaa labsii fi seerota bahan karaa ifa taheen raawwachuuf akkasumas mirgaa fi dirqamaa hojjataa fi hojjachiisaa hojiirraa oolchuuf;

4.4. Akka amala mana hojiiitiin kan biroos dabaluu ni danda'ama .

5. Gosa Hojii fi Haala Kaffaltii

5.1. Gosa Hojii Dukaana Zoricha

5.2. Iddoo hojii Cobi

5.3. Hamma Kaffaltii Mindaa qarshiin 6000

5.4. Yeroo kafalatii :- Ji'aan 6000 Guyyoota 15'niin 3000 Guyyaa guyyaadhaan 200

5.5. Yeroon Kaffaltii guyyaa ayyanaa ummataa fi guyyaa boqonnaa irraa kan oolu yoo ta'e guyyoota hojii sana duraa jiran keessa kan kanfalamu ta'a.

6. Sa'aatii Seensa fi Bahiinsaa

Sa'aatii hojii idilee dhaabbatichaa guyyatti sa'aatii 8 torbaanitti sa'aatii 48 caaluu hin qabu.

6.1. Wixata hanga jimaataa ganama sa'atii _____ irraa hanga waaree booda Sa'aatii _____
Sanbataa sa'aatii dura _____ irraa hanga Waaree boodaa _____ Sa'aatii _____ tti.

6.2. Hojiin sa'aatii hojii idilee ala hojjatamu akka hojii dabalataatti galma'ee bu'uura tumaalee labsii lakk. 1156/2011 keewwata 68 keewwata irratti ibsameen herregamee kanfaltiin ni raawwatama;

7. Guyyaan boqonnaa torbanii _____ ni ta'a. (sa'atii 24 walitti aanu gadi ta'uu hin qabu)

8. Boqonnaa Waggaa, hayyama boqonnaa torbaanii, hayyama ayyanaa, hayyama rakkoo hawaasummaa (ga'eela fi gadda) hayyama waliigaltee gamtaatiin ykn akkaataa labiiitiin hojjataan akka argatu ni taasifama. (Kew 69,73,77,81,85 fi 88)

