



Hayyama gahumsaa
የብቃት ማረጋገጫ ምስክር ወረቀት

Φ7/Guyyaa

1949 年 10 月

ማስጠንቀቂያ

1. ፍቀዱ የበጀት ዓመቱ ከገባ በኋላ እስከ ጳጉሜ መጨረሻ ካልታደሰ እንደተሰበሰቡ ይቆጠራል ።

2. ፍቀዱ በድርጅቱ ውስጥ ፊትሰፊት በሚታይ ቦታ መቀመጥ አለበት።

3. ለተቆጣጣሪ አካሉ ሳያሳውቁ ድርጅቱን ወደ ሌላ ቦታ ማዘዋወር አይቻልም።

Wagana tokko gaditti gad hindissa.



Guyyaa
Date
Lakk
Ref.no

ቀን 27-02-17
ቁጥር 23,521

Waajjira Fayyaa Godina Gujii Lixaatiif

Bulee Horaa

Dhimmi:- **Waa'ee Haayyama gahumsa Dukkaana Qorichaa Liidiyaa jedhamu haaraa kenname ilaala**

Akkuma mata duree irratti ibsuuf yaalametti **Obbo Biqilaa Baachuraa** abbaa qabeenyaa ta'uudhaan ogeessa **Obbo Caalaa Amantee Bookaa** waliin Godina keessan Aanaa Galaanaa Magaalaa **Tooree** Ganda 01 keessatti **Haayyama gahumsa Dukkaana Qorichaa Liidiyaa jedhamu** bafatanii hojjechuu kan isaan dandeessisu Unka inspekshinii xalayyaa lakka: 020/GGL/WF/G2-726 gaafa guyyaa 25/02/2017 tiin nu gaafatanii jirtu.

Haaluma kanaan Haayyamni **Haayyama gahumsa Dukkaana Qorichaa** kun Maqaa Ogeessa **Obbo Caalaa Amantee Bookaatiin** waan isaaniif kennameef, waajjirri keessanis kanuma beekuudhaan Ogeessii fi Dhabbatni **Haayyama gahumsa Dukkaana Qorichaa** kun Qajeelfamaa fi seeraa jiruun hojjechaa jiraachuu hubachuun to'annoo fi hordoffii gaggeessuun raawwii isaa ji'a sadi sadiin gabaassa akka nuuf gootan isin beeksifna.

Nagaa Wajjin

Shallama Dilgassaa (BSC)
Qindeessaa Garee Galmee
Ogummaa fi Haayyamaa

G/G

- Waajjira Daldaalaa fi Industirii Misooma Gabayaa Godina Gujii Lixaatiif

Bulee Horaa



Biirroo Fayyaa Oromiyaatti Waajjira Fayyaa Godina Gujii Lixaa

በኦሮሚያ ጤና ጥበቃ ቢሮ የምዕራብ ጉጂ ዞን ጤና ጽ/ቤት

Oromia Health Bureau West Guji Zone Health office

Lakk. 020/066/ሠ.የ/02-726

Guyyaa 25/02/2017

Biirroo Fayyaa Oromiyaatiif

Finfinneee

Dhimmii :- Unkaa Inispeekshiinii Dukkana Qorchaa Lidiya Erguu ta'a.

Akkumma armaan olitti ibsuuf yaalametti bu'uura xalayaa guyyaa 21/02/2017 xalayaa lakk 23483 nuuf barreefameen heeyyama dukkana qorchaa banachuu Obboo Biqila Bachura Roba abbaa qabeenyaa Aakasumas Oggesas Oggesi Caala Amante. Bokka walin ta'uun banachuu waan barbaadaniif gareen regulatory Godina Gujii Lixaa Unkaa Inispeekshiinii Gutuun ulaagaa barbaachisu guunnee kan ergine ta'uu keenya bekitan degarisa baribachisu hunda akka gotanif kabaja'aan isin beeksifna.

Nagaa Wajjiin

G/G

➤ Kutaa legulatory waajjira keenyaatiif

Bulee Horaa

➤ Obbo Biqila Bachurattif

B/J

Tesfaye Wata Saraya
ጥቅም ጥቅም ላይ



A/A Hojii To'annoo Qulqulinna Fayyaa
Fayyaa Wolqabatan Fi Omishii
ጤና ስነ ምርጽ ጥራት ጥቅም
ኒ.የ.ት ስብሰባ

Pre-licensing Inspection Checklist for Medicine Retail Outlet (Pharmacy & Drug Shop)

	Name of the Region/Zone/Woreda/Agency	FORM No.: 001
	Title: Pre-licensing Inspection Checklist	SOP No.
		Revision No:

Instruction: This checklist is designed to assess the compliance rate of community pharmacies, focusing on premises, personnel, and products (equipment and materials). Complete all sections of the checklist (Yes, No, NA).

5. General Information

5.1. Level of community pharmacy ✓ Pharmacy (Yes, No) ✓ Drug shop (Yes, No) 5.2. Name of pharmacy/drug shop <u>Ledia</u> 5.3. Name of Technical Manager <u>Cala Amante</u> 5.4. Professional Level of Technical Manager <u>Chala Amante Boka</u> 5.5. Name of Owner (s) <u>Bikla Bhura</u>	5.6. Address a. Region <u>Oromia</u> b. Zone: <u>West Guji</u> c. Woreda: <u>Gelana</u> d. House No: <u>New</u> e. Phone No: <u>0934112299</u> f. Specific location: <u>Kecha Negele</u>	Date of Inspection (dd/mm/yy) 25/02/2017
---	--	--

SN	Requirements	Compliance		
		Yes	No	NA
6.	Professionals			
6.1.	The technical manager and other technical personnel have valid and renewed professional licenses.	✓		
6.2.	For pharmacy, the technical manager has a minimum of three years of work experience as a pharmacist with a bachelor's or advanced degree in pharmaceutical sciences, or as a druggist or level IV pharmacy technician with an additional one year as a pharmacist.	✓		
6.3.	For drug shop, the technical manager has a druggist or level IV pharmacy technician with a minimum of three years of work experience, or a pharmacist with a minimum of one year of work experience as a pharmacist.	✓		
6.4.	The community pharmacy (pharmacy or drug shop) has at least one additional licensed pharmacist, druggist, or level IV pharmacy technician.	✓		
6.5.	The professionals have no known history of legal or unethical practices.	✓		
7.	Premises			
7.1.	Design, Layout and Location	✓		
7.1.1.	The pharmacy or drug shop is self-contained and secured with a single point of entry and exit.	✓		
7.1.2.	The pharmacy or drug shop is located a minimum of 100 meters away from other community pharmacies or health facilities.	✓		
7.1.3.	Construction of the premises prevents direct sunlight, dust, moisture,	✓		



SN	Requirements	Compliance	
		Yes	No
	entry of insects, animals (especially rodents) or birds, and flooding.		
7.1.4.	The walls are constructed and maintained from concrete or bricks and painted with washable paint. Internal partitions, if necessary, are made of aluminum board or bricks.	✓	
7.1.5.	The pharmacy displays a clear signboard bearing its name and working hours.	✓	
7.1.6.	The entrance, dispensing counter, and doorways are accessible to people with disabilities.	✓	
7.1.7.	The pharmacy or drug shop has dedicated premises including: – Store room – Dispensing room – Compounding room for pharmacy only (optional) – Counselling room – Drug information service shared with counselling room – Drug information Center (optional) – Administrative office and changing room or area – Toilet with water – Waiting area	✓	
7.1.8.	The dedicated rooms and areas are labelled.	✓	
7.1.9.	The pharmacy or drug shop has adequate lighting and ventilation with the required illumination and light intensity (check lighting lamps, e.g., LED or fluorescents as an option).	✓	
7.1.10.	Floors, ceilings, and walls are smooth and washable; without dust, free of cracks and holes, discoloration, leakage/water stains, or other signs of disrepair.	✓	
7.2.	Environment, Security, and Safety		
7.2.1.	The pharmacy or drug shop is located 100 meters away from any facilities that adversely affect the quality of medicines.	✓	
7.2.2.	Electrical outlets are safe and properly maintained.		✓
7.2.3.	The premises are lockable and not accessible to unauthorized entry.	✓	
7.2.4.	A functional fire extinguisher is available.	✓	
7.2.5.	First-aid materials are available.	✓	
7.3.	Storage room		
7.3.1.	Storage room is at least 12 square meters in size for pharmacy, and 9 square meters for drug shop (measure the area in square meters, length, and width in meters). (Actual measurement <u>5</u> x <u>6</u> = <u>30m²</u>)	✓	
7.3.2.	Ceiling height is not less than 2.6 meters. In areas with consistently elevated temperatures, minimum ceiling height is 3 meters.	✓	
7.3.3.	Storage room is well ventilated, dry, and protected from direct sunlight and heat.	✓	
7.3.4.	Storage room is self-contained and secure with a lockable door.	✓	

7.3.5.	Walls are smooth and washable; not constructed from wood, corrugated sheet, mud, or grass materials.	✓	
SN	Requirements	Compliance	

		Yes	NON/
7.3.6.	Floor is smooth and easily washable; constructed from cement, ceramic, epoxy, or other related materials.	✓	
7.3.7.	Ceiling is smooth, washable, and heat resistant.	✓	
7.3.8.	Storage room has sufficient shelving constructed from a smooth, washable, and impermeable material.	✓	
7.3.9.	Shelves are available a minimum of 20 cm above the floor, one meter wide between shelves, and 25 cm away from the wall and 50 cm from the ceiling. If pallets are used, they are 20 cm above the floor, one meter between pallets, and 25 cm away from the wall (also check for their adequacy in number).	✓	
7.4.	Dispensing room		
7.4.1.	Minimum area of the dispensing room is 25 square meters for both pharmacy and 22 square meters for drug shop, with a minimum side measurement of 4 meters. (Actual measurement <u>5</u> x <u>6</u> = <u>30</u>)	✓	
7.4.2.	Minimum ceiling height is 2.6 meters. In areas with consistently elevated temperatures, minimum ceiling height is 3 meters.	✓	
7.4.3.	Dispensing counter is at least 1.5 meters away from the back shelf and 2.5 meters away from the patient gate (check the distance with a calibrated meter).	✓	
7.4.4.	Dispensing counter is at least 0.60 meters wide, 1.10 meters high, and 1 meter long per dispenser, with a total length of not less than 3.5 meters for pharmacy (3 meters for drug shop).	✓	
7.4.5.	Availability of waiting area with seating options (number of seats depends on the number of patients).	✓	
7.4.6.	Size of dispensary and storage is adequate, allowing easy movement and workflow.	✓	
7.4.7.	Shelves in the dispensing room are a minimum of 20 cm above the floor, one meter wide between shelves, 25 cm away from the wall, and 50 cm from the ceiling. If pallets are used, they are 20 cm above the floor, one meter between pallets, and 25 cm away from the wall.	✓	
7.4.8.	Access restricted to authorized personnel in the actual dispensing area.	✓	
7.4.9.	Calibrated thermohydrometers are properly located at appropriate locations.	✓	
7.4.10.	Walls are clean, smooth, and washable; without dust, holes, or cracks, and made of a material that allows for easy cleaning.	✓	
7.4.11.	Roof is in good condition to avoid leakages; no holes or signs that water is running through (check if the ceiling is made of cardboard or cement).	✓	
7.4.12.	Dispensary is well illuminated and ventilated, with the required illumination and light intensity (check lighting lamps, e.g., LED and fluorescents as an option).		
7.5.	Compounding room for pharmacy only (if available)		
7.5.1.	Compounding room is at least 9 square meters, with a minimum side measurement of 2.5 meters. (Actual measurement <u> </u> x <u> </u> = <u> </u>)		
7.5.2.	Compounding bench is at least 0.75 meters wide, with a total length of not less than 2 meters, and not less than 1.5 meters away from the gate.		



7.5.3.	Compounding bench is made of stainless steel, marble, or similar acceptable material, which is washable, impermeable, chemical- resistant, and waterproof.			
SN	Requirements	Compliance		
		Yes	No	N/A
7.5.4.	Compounding bench top is not made of wood, cement, corrugated sheet, or plastic materials.			
7.5.5.	Compounding room is designed to avoid contamination and cross- contamination.			
7.5.6.	Walls of the compounding room are finished with a smooth, washable, and impermeable material, which is easy to clean and maintain in a hygienic condition.			
7.5.7.	Compounding room is neat, ventilated, and appropriate for compounding activities.			
7.5.8.	There is a storage cabinet or shelf for labelling and raw materials.			
7.5.9.	There is a suitable and clean wash basin made of a smooth, washable, and impermeable material, with a source of tap water and a closed drainage system.			
7.6.	Counselling room			
7.6.1.	Area of counseling room is at least 4 square meters, with a minimum side of 1.5 meters, and equipped with chairs and a table. (Actual measurement $\text{ } \times \text{ } = \text{ } \text{ }$)			
7.6.2.	Counseling room is designed to maintain confidential conversation between pharmacy professionals and clients.			
7.6.3.	Counseling room is easily accessible and, where possible, close to the dispensary.			
7.7.	Drug information center only for pharmacy (optional)			
7.7.1.	Well-equipped drug information center with a minimum area of 12 square meters and minimum side length of 3 meters.			
7.7.2.	Additional office room for the staff of the drug information center.			
7.8.	Toilet with water			
7.8.1.	There is a toilet room for the community pharmacy, which may be shared with other facilities if it is in a multipurpose building.	✓		
7.8.2.	Toilet room has readily available potable water with a hand wash basin, soap, and a closed drainage system.	✓		
7.8.3.	Toilet facilities are kept clean and in good order.	✓		
7.8.4.	Toilet has no direct access to dispensing and storage rooms.	✓		
7.8.5.	Toilet is clearly designated and labelled with arrows or images.			

SN	Requirements	Compliance		
		Yes	No	NA
7.9.	Products (Equipment and materials)			
7.9.1.	Availability of continuous power supply.			
7.9.2.	Dispensing and storage equipment and materials include: a. Counting devices for tablets and capsules b. Tablet cutter. c. Stainless steel spoon d. A refrigerator equipped with a maximum and minimum	✓		



	thermometer. Pharmaceutical grade refrigerators should be recommended. e. Secure fixed metal cabinet or shelf with lock and key for narcotic drugs and psychotropic substances. f. Wall thermometer and hygrometer or thermohydrometer for both storage and dispensing room. g. Ventilator or air conditioner as appropriate. h. Fire extinguisher. i. First aid kit j. Scientific calculator and scissor k. Fixed telephone or mobile phone l. Computer (s) m. Shelves and pallets n. chairs for waiting area o. Reference materials (soft or hard copy latest version), including Martindale, Pharmacology textbooks, Medical dictionary, relevant proclamation, Community pharmacy medicine lists, National standard treatment guideline, National medicine formulary, National good dispensing manuals,	✓		
--	---	---	--	--

SN	Requirements	Compliance		
		Yes	NO	N/
7.9.3.	The compounding room is equipped with the following: a. Working bench with upper part made of marble or stainless steel b. Dispensing balance (Analytical balance), c. Mortar and pestle (glass or porcelain) not less than 250ml d. Stainless steel hot water bath (electrical) with four or more openings e. Hot plate (electrical) f. Shaker or stirring rods (glass or plastic) of different length and thickness g. Spatula (stainless steel, plastic, flexible or non-flexible) h. Ointment tile or slab i. Wash bottle j. Funnel (glass or polyethylene) k. Beaker (different sizes) l. Test tubes of different sizes m. Graduated cylinders (different volumes) n. Weighing paper (normal, grease-proof for semi solids) o. Weighing dishes (plastic, aluminum, stainless steel) p. Evaporating dish q. Volumetric flask r. PH meter s. Alcoholometry t. Thermometers u. Purified water v. Disposable gloves and masks w. Labelling and packing materials x. Electrical light or lamp	✓		



7.9.4.	The drug information center (if established) has the following: h. Furniture (shelves, tables, and chairs). i. Telephone line j. Internet access k. Computer and software l. Printers and duplication machine m. Drug databases Reference materials (primary, secondary, and tertiary sources).		✓
--------	--	--	---



Consent of owner or technical manager	I confirm that to the best of my knowledge, the information/data provided in this checklist is true and correct. Name of Technical Manager/Owner <u>Bekla Bachara</u> Signature <u>[Signature]</u> Date <u>25/02/2017</u> stamp _____			
Recommendation of inspectors	We confirm that the community pharmacy named above was inspected on [dd/mm/yyyy] <u>25/02/2017</u> and it was [complied / not complied] with all the stated requirements. Hence, we [recommend / do not recommend] issuing the certificate of competence.			
Name and signature of Inspectors	SN	Name	Date	Signature
	1.	Gutama Genale	25/2/2017	<u>[Signature]</u>
	2.	Tesfaye Wata	25/2/2017	
	3.	Tarku Tadele	25/2/2017	
Decision of officials	Based on the recommendations of inspectors, I confirm that the certificate of competence can be [issued / not issued] to the named community pharmacy. Name _____ Date _____ Signature with stamp _____			





BIROO FAYYAA OROMIYAA
የዕምሩ ጤና ቢሮ
OROMIA HEALTH BUREAU

Guyyaa
Date
Lakk
Ref.no

ቀን
ቀጥር

21-2-17
23483

Waajjira Fayyaa Godina Gujii Lixaatiif

Bulee Horaa

Dhimmi:- **Waa'ee Dukkaana Qoricha inspekshiniif ergame ilaala**

Akkuma mata duree irratti ibsuuf yaalametti **Biqilaa Bachuuraa** abba qabeenyaa fi **Caalaa Amantee Bookaa** Ogeessa ta'uudhaan Godina keessan Aanaa **Galaanaa** Magaalaa **Tooree** Ganda **Qaachaa Nageellee** lakka. manaa haaraa keessatti Hayyama gahumsa Dukkanaa Qorichaa haaraa baafatanii hojjechuu akka barbaadana xalayyaa gaafa guyyaa 21/02/2017 tiin nu gaafatanii jiru.

Haaluma kanaan Hayyamni gahumsa Dukkanni Qorichaa kun Maqaa Ogeessa **Caalaa Amantee Bookaa** tiin kennamuun dura manaa fi meeshaalee barbaachisan qopheeffachuu isaanii ilaalamee unki inspekshinii guutamee akka nuuf ergamu isin beeksifna.

Nagaa Wajjin

Shallama Dilgaasaa (BSC)
Injineeraa Garee Galmee
Kunummaa fi Hayyamaa

Hubachiisa:-

1. Bakka Dukkaanni Qorichaa itti gaafatame ykn itti banamu kun dhaabbilee fayyaa adda addaa irraa; dhaabbilee qinxaaboo qorichaas dabalatee meetira 100 fi isaa ol fagaachuu qaba.
2. Dukkanni Qoricha kun ulaagaa hin guunne yoo ta'e Unka inspekshinii guttanni akka hin ergine isin hubachiifana.



6955



befokom2008@gmail.com
info@orhb.gov.et



www.orhb.gov.et



Oromia health bureau



t.me/ORHBCommunication



Saarbet (Calalii) Finfinnee

	Oromia Health Bureau Directorate of Health and Health Related Services and Products Quality Control and Regulation	FORM-SOP/DHHRSPR-PROC006-001
	Licensing request application form	

Name of the Community Pharmacy	Ledia Drug Shop		
Address	City	Tore	
	Kebele	Gelana	
	Facility Phone Number	0934 112299	
	Technical Manager Phone Number	0934 037611	
	E-Mail Address of the facility		
	Physical Address:	West Gaji, Gelana xaxaxa	
Indicate type of application: please tick or check a box.			
New	☒	Renewal	☐
Change of ownership	☐	Change of professionals	☐
Change of location	☐	Replacement of certificate of competence	☐
A. For NEW application, please make sure that below requirements are fulfilled (Yes or No)			
Educational evidence of technical manager			Yes
Employment agreement or contract of technical			Yes
Working experience letter of the technical manager from the employer that describes his/her resignation,			Yes
Proof of evidence if he/she had worked as a technical manager and from health regulatory bodies,			Yes
Professional license of the technical and storekeeper, Passport size photo of the technical manager, House rent contract or carta, or lease hold title certificate authenticated by Document Authentication and Registration Agency Trade bureau or any concerned Government office,			Yes
For partially completed building, provide authorization for use of the building for service from the responsible body.			No
Recent two passport size photos (not more than six months)			Yes
Payment of service fee			Yes



Oromia Health Bureau Directorate of Health and
Health Related Services and Products Quality
Control and Regulation

FORM-SOP/DHHRSPR-PROC006-001

Licensing request application form

B. For Renewal application, please make sure that below requirements are fulfilled (Yes or No)

Confirmation of payment of required service fee

Upon submission of the internal audit report, if necessary and

C. For change of certificate of competence replacement, please make sure that below requirements are fulfilled

For change of physical address

House rent contract or carta or lease hold title certificate

authenticated by appropriate government body.

Payment of service fee

Previous original certificate of competence

Recent two passport size photos (not more than six

months) of technical manager

description of the premises including pictures or videos of

both the interior and exterior of the premises, if required

Self-inspection result

D. Change of Technical Manager, please make sure that below requirements are fulfilled

Employment agreement of the new technical manager if the owner is different

Education credentials

Current original release and experience letter

Professional license

Payment of service fee

Previous original certificate of competence

Recent two passport size photos (not more than six

E. Change of name of establishment, please make sure that below requirements are fulfilled

Memorandum of establishment



Oromia Health Bureau Directorate of Health and
Health Related Services and Products Quality
Control and Regulation

FORM-SOP/DHHRSPR-PROC006-001

Licensing request application form

Payment of service fee		
Previous original certificate of competence		
I certify I have read, understood, and agree to comply with community pharmacy compulsory standard regulating this licensing. I also certify the information herein submitted is true to the best of my knowledge and belief.		
Owner Name	Technical Manager Name	
Signature	Signature	
Date	Date	

Bikila Zachawa

Chaia Kuma

21/02/2017

21/02/2017

Guyyaa 21/02/2017

Unka Waadaa Waliigaltee Ogeessi Teeknikaa Biiroo Fayyaa Waliin galu

Ani Dr./Obbo/Adde/Sr. Chala Amante Boksa Sadarkaa Dhaabbatichaa
Dukkaana Bonchaa Lidiyaate

ogummaa Junior Pharmacist tiin hojii hojjechuuf hayyama mirkaneessa
ga'umsaa baasee gochoonni seeran alaa 1-5 tti tarreeffaman kun yoo xiqqaate tokko
raawwatame taanan

1. Hayyama Mirkaneessa Ga'umsaa Biiroo Fayyaarraa ogeessa Teeknikaa ta'ee baaseen bakka ani hin jirretti beekamtii qaama too'atuutiin ala yoo hojiin qaama sadaffaadhaan ittiin hojjetamaa jirtaate
2. Bakka ani hin jirretti dhaabbanni maqaa kootiin saaqame yakka kamiyyuu yoo raawwate
3. Akka biyyaattis ta'ee akka naannootti maqaa kootin ogeessa teeknikaa ta'ee dhaabbanni gara biraa saaqamee yoo jiraate
4. Hayyama mirkaneeffannaa ga'umsaa maqaa kootin baasee osoon Biiroo Fayyaa Oromiyaatti hin deebisin dhaabbata biraa keessa (mana Mootummaa, Dhaabbata Miti-Mootummaa ykn Dhaabbata Dhuunfaa) qacaramee yoon argame
5. Dhaabbata maqaa kootiin ba'e keessatti meshaalee fi qorichoonni seeraan alaa yoo argamanii fi sadarkaa dhaabbatichaaf hayyameen oli meeshaalee ykn qorichootas yoo qabatee fi shaakala(Practice) yoo godhe
6. Dhaabbannikoo Dhaabbata biraa akka Naannootti fageenyi meetira 100 gadi irratti dhorkaa ta'ee irraa meetira 100 gadi yoo ta'e

Tarkaaffii Bulchiinsaas ta'ee Tarkaaffii Seeraa narratti fudhatamuuf itti-gaafatamummaa akkan fudhadhu mallattoo kootin nin mirkaneessa. Anis abbaa qabeenyaa dhaabbata kanaa ta'ee dhimmoota seeran alaa dhaabbata kana keessatti raawwatamaniif itti-gaafatammummaa fudhachuukoo mallattoo kootiin nin mirkaneessa.

Maqaa Guutuu ogeessaa

Caalaa Amantee Boksa

Mallattoo A

Guyyaa 21/02/2017

Maqaa Guutuu abbaa qabeenyaa

Bizila Bachuuraa Roobaa

Mallattoo BB

Guyyaa 21/02/2017



BIIROO FAYYAA OROMIYAA
ጉሮሞላዊ ጤና ቢሮ
OROMIA HEALTH BUREAU

Guyyaa ቀን 21-2-17
Date
Lakk ቁጥር 23482
Ref.no

ለአቶ ጫላ አመንቴ ቦካ

ባሉበት

ጉዳዩ፡- የሥራ ልምድ እና ሽፒ ደብዳቤ መስጠትን ይመለከታል

አቶ ጫላ አመንቴ ቦካ

1. በክልላችን በምዕራብ ጉጂ ዞን ውስጥ በሚገኝ ገላና የመጀመሪያ ሆስፒታል ከ 30/10/2014 ዓ.ም እስከ 30/10/2015 ዓ.ም መስራታቸዋል።
2. በክልላችን ብቡሌ ሆራ ከተማ ነጭ ጉዲና ለሮጲ መድሀኒት መደብር በደብዳቤ ቁጥር BEFO/AHITQFFWO/20185 በቀን 22/01/2016 ዓ.ም በስማቸው የመድሀኒት መደብር የብቃት ማረጋገጫ ፊቃድ አውጥተው እስከ 30/12/2016 ስሰሩ ቆይተዋል። አሁን መመለሳቸውን ተጠቅሰዋል። የመልቀቂያ እና ሥራ ልምድ እንዲሰጣቸው በቀን 21/02/2017 ጠይቀውናል።

በዚህ መሠረት አቶ ጫላ አመንቴ ቦካ ከላይ በተጠቀሱ ጤና ተቋም መድሀኒት መደብር መስራታቸውንና ሲሰሩበት በነበረበት ጊዜ የሰራ ግብር ሲከፍሉ የቆዩ መሆናቸውን እየገለፅን ይህን የሰራ ልምድ የሰጠናቸዋል። መሆኑን እንገልጻለን፡፡

3.



ከሰላምታ ጋር !

ሽሎ ደልጋሳ (BSC)
የፊቃድ አስጣጥፍ ምክር ቤት አባል





ወለጋ ዩኒቨርሲቲ
WOLLEGA UNIVERSITY

ሬጀስትራር ጽ/ቤት
Office of the Registrar



To Whom It May Concern

This Certificate is issued to **CHALA AMANTE BOKA** upon his graduation in the regular program with **The Degree of Bachelor of Pharmacy (B.Pharm)** on **January 11, 2022** with **CGPA of 3.72**.

The Original Diploma and Transcript will be issued upon the discharge of cost sharing duty.

ሬጀስትራር/Registrar
ሰላላ ለገሰ (ሰ/ር)



Tel: +251578617150
Fax: +251576606006

P.O.BOX:395
Wollega, Oromia, Ethiopia





Lak/Ref:

BDhHHO18/19/1/34

ቁጥር

Guyyaa/Date:

21/02/2017

ቀን

Biirroo Eegumsa Fayyaa Oromiyaatiif

Finfinnee

Dhimmi: - Waa'ee Waliigaltee Qaxarii Hojjetaa Ilaalaa.

Dhaabbanni **Dukaana Qorichaa Liidiya** eyyama hojii baafachuuf waliigaltee hojii hojjetaa wajjiin godhatee mirkanaa'eef Biirroo **Eegumsa Fayyaa Oromiyaatiif** akka barreeffamuuf 21/02/2017 barreeffameen nu gaafatee jira.

Kanaafuu walii-galtee hojii bu'uura labarii Dhimma Hojjetaa fi Hojjechiisaa lakk 1156/2011 keewwata 4 fi 6 tiin qaamolee lamaan jidduutii kan raawwatame ta'uu ibsaa, waliigaltqaxarii fi hayyama ogummaa **Obbo Caalaa Amantee Bookaa** wajjin taasifame



Nagaa wajjin

Addisalem Getachew

Og Marii Hawasaa

G.G

- **Dhaabbata Dukaana Qorichaa Liidiya tiif**
- **Obbo Caalaa Amantee Bookaa**
- **Gujii Lixaa**
- **Garree Qunnamtii Industirii tiif**
- **BDhHHO**

Bu'uura Tumaalee Labsii Dhimma Hojjata fi Hojjachisaa

Lak 1156/2011 Keewwata 4-6'tiin Walii Galtee Hojii

Hojjachiisaa Fi Hojjetaa Gidduutti Hundeeffame

1. Waliigalteen hojii kun Dhaabbataa Dukkaana Borichaa lidinnee jedhamee waamamuu fi hojjataa Obbo/Aadde Caalea Amantee Boodaa jedhaman jidduutti waliigaltee hojii guyyaa har'aa 20/02/2017 hundeeffameedha.

2. **Teessoo Dhaabbataa Hojjechiisaa (Qaxaraa)**

2.1. Maqaa Dhaabbataa Dukkaana Borichaa lidinnee.

2.2. Naannoo Oromiyaa Godina Gugji lixaa Aanaa Galaanaa.
Ganda Qachaa Nageello Lak. Manaa _____ Lak. bilbilaa 0934037611

2.3. L.S.P. _____ Email _____

2.4. Lak. Galmee hayyama daldalaa 0009516414

2.5. Lak. Waraqaa Eenuimmaa HOG/122/2016 Qaama Kenneef Hospitala Galaana

3. **Qacarama (hojjataa)**

3.1. Maqaa Guutuu Hojjetaa Caalea Amantee Boodaa

3.2. Sadarkaa Barumsaa BA Gosa Barumsaa Junior Pharmacist

3.3. Naannoo Oromiyaa Godina Gugji lixaa Aanaa Bule Horaa.
Ganda Boroo Guddu Lak. Manaa _____ Lak. bilbilaa 0934037611

3.4. L.S.P. _____ Email qabaleamante310@gmail.com

3.5. Lak. Waraqaa Eenyummaa 3250261590280952 Qaama Kenneef Ethiopian Digital Id card

4. **Kaayyoo Waliigaltee kanaa**

4.1. Walitti dhufeenya mirgaa fi dirqama hojjataa fi hojjachiisaa gidduu jiru qixa ifa ta'een kaa'uuf;

4.2. Hojjetichi waa'ee mirgaa fi dirqamaa isaa haalaan akka beeku gochuun guddina omishaa fi onishtummaa tiif haala mijaa'aa uumu;

4.3. Hojiirra oolmaa labsii fi seerota bahan karaa ifa taheen raawwachuuf akkasumas mirgaa fi dirqamaa hojjataa fi hojjachiisaa hojiirraa oolchuuf;

4.4. Akka amala mana hojiitiin kan biroos dabaluu ni danda'ama.

5. **Gosa Hojii fi Haala Kaffaltii**

5.1. Gosa Hojii Junior Pharmacist

5.2. Iddoo hojii Magaala Tooree

5.3. Hamma Kaffaltii Mindaa qarshiin kuma sagal zofa (9000.00)

5.4. Yeroo kafalatii :- Ji'aan ☒ Guyyoota 15'niin _____ Guyyaa guyyaadhaan _____

5.5. Yeroon Kaffaltii guyyaa ayyanaa ummataa fi guyyaa boqonnaa irraa kan oolu yoo ta'e guyyoota hojii sana duraa jiran keessa kan kanfalamu ta'a.

6. **Sa'aatii Seensa fi Bahiinsaa**

Sa'aatii hojii idilee dhaabbatichaa guyyatti sa'aatii 8 torbaanitti sa'aatii 48 caaluu hin qabu.

6.1. Wixata hanga jimaataa ganama sa'atii 2:30 irraa hanga waaree booda Sa'atii 11:30

Sanbataa sa'aatii dura 2:30 irraa hanga Waaree boodaa 6:30 Sa'aatii 11:30 tti.

6.2. Hojiin sa'aatii hojii idilee ala hojjatamu akka hojii dabalataatti galma'ee bu'uura tumaalee labsii

lakk. 1156/2011 keewwata 68 keewwata irratti ibsameen herregamee kanfaltiin ni raawwatama;

7. Guyyaan boqonnaa torbanii 1 (tolto) ni ta'a. (sa'aatii 24 walitti aanu gadi ta'uu hin qabu)

8. Boqonnaa Waggaa, hayyama boqonnaa torbaanii, hayyama ayyanaa, hayyama rakkoo hawaasummaa (ga'eela fi gadda) hayyama waliigaltee gamtaatiin ykn akkaataa labsiiin hojjataan akka argatu ni taasifama. (Kew 69,73,77,81,85fi 88)

